

**FEBRICULA, (SIMPLE CONTINUED FEVER)**

-A mild fever of short duration. Indefinite origin of pathology.

ACON., ARS., BAPT., FERR-P., RHUS-T., *Arn., Bell., Bry., Camph., Gels., Ip., Kalagua., Merc., Nux-v., Puls.*

**FEVER (SIMPLE CONTINUED FEVER) :[ABDOMEN] :**

Coldness, fever, during:

Zinc.

Cramping, pain, fever, during:

Caps., Carb-v., Elat., Rhus-t., Rob.

Cutting, pain, fever, during:

Rhus-t.

Cutting, pain, fever, during, amel.:

*Sulph.*

Distension, fever, during, the :

Ars., Sil.

Dragging, pain, fever, in low :

*Cact.*

Heat, in, fever, during :

*Cic., Apis., Cact., Calad., Canth., Chin., Ferr., Lach., Sel., Spig., Stann.*

Pain, fever, during :

ANT-C., ARS., CARB-V., RHUS-T., *Cham., Cina., Caps., Elat., Ign., Nux-v., Valer.*

Pain, fever, during, after :

Sil.

Pain, periodical, fever, during :

Hep.

Pulsation, fever, during :

KALI-C.

Tension, fever, during :

Sil.

Tension, hypochondria, fever, during:

*Ars.*

**FEVER (SIMPLE CONTINUED FEVER) :[ANKLES] :**

Rheumatism, left, in, after, taking cold with fever and profuse sweat :

Chin-s.

Rheumatism, left, in, after, taking cold, with fever and profuse sweat at first left, then right with :

Lac-c.

Rheumatism, left, in, after, taking cold with fever and profuse sweat swelling with:

Cact.

**FEVER (SIMPLE CONTINUED FEVER) :[ARMS] :**

Coldness, fever, after :

Sil.

Drawing, pain, fever, catarrhal, during:

Sep.

Eruptions, red, scarlet, fever, like:

Cocc.

Numbness, intermittent, fever, in:

Agar., Am-m., Ars-s-r., Cocc., Merc-s., Zinc.

Urticaria, urticaria, forearms, fever, during :

Calad.

**FEVER (SIMPLE CONTINUED FEVER) :[BACK] :**

Aching, fever, during :

Eug., Ziz.

Aching, lumbar, afternoon, fever, during:

Trom.

Inflammation, scarlet, fever, or, measles, during, eruptions do not develop:

Apis., Bry., Dulc.

Irritation, fever, during:

*Chin-s., Cocc.*



**Pain, fever, during:**

EUP-PER., NUX-V., *Arn., Bell., Calc-p., Caps., Lyc., Nat-m., Puls., Rhus-t.*

**Pulsating, pulsating, lumbar, fever:**

Hura.

**Sore, spine, fever, during:**

*Chin-s., Cocc.*

**Trembling, fever, during:**

*Eup-per.*

**Weak, typhoid, fever, after :**

SEL.

**Weak, lumbar, fever, during:**

Hura.

**FEVER (SIMPLE CONTINUED FEVER) :[BLADDER] :**

**Cystitis, fever, with, in, strangury:**

*Acon., Canth., Bell., Gels., Hydrog., Stigm.*

**Retention, of, urine, fever, from, acute illness:**

*Acon., Apis., Caust., Ferr-p., Op.*

**Urging, fever, during:**

*APIS., Ant-t., Bell., Puls., Acon., Bry., Canth., Caust., Dulc., Graph., Hell., Hyos., Kali-c., Lyc., Nux-v., Ph-ac., Rhus-t., Sabin., Sars., Staph., Sulph.*

**Urging, ineffectual, fever, during:**

*Puls., Ars., Canth., Dig., Hyos., Nux-v., Rat., Sars., Sulph.*

**Urination, frequent, urination, fever, during:**

*Kreos., Arg-m., Bell., Lyc., Merc., Ph-ac., Rhus-t., Staph., Stram.*

**Urination, frequent, urination, fever, during drinking after :**

*Cimx., Eup-pur.*

**Urination, involuntary, urination, typhoid, fever:**

*HYOS., Arg-n., Ars., Colch., Hell., Lach., Mosch., Phos., Rhus-t., Stram., Verat., Verat-v.*

**Urination, painful, urination, fever, . during :**

*Cham., Ant-c., Cann-s., Canth., Colch., Dulc., Nit-ac., Nux-v., Staph., Sulph.*

**FEVER (SIMPLE CONTINUED FEVER) :[BLOOD] :**

**Bleeding, dark, blood, yellow, fever, in:**

*LACH., Crot-h.*

**Bleeding, painless, no, fever:**

*Mill.*

**Blood, vessels, distention, of, fever, during :**

*BELL., CHIN., HYOS., LED., PULS., Agar., Camph., Chin-s.*

**Circulation, disturbed, in, intermittent, fever:**

*Ferr.*

**Circulation weakness, of, typhoid, malarial fever :**

*Ham.*

**Plethora, gastric, or, bilious, fever occurring in hot weather or in warm wet days:**

*Nux-v.*

**Pyemia, childbed, fever, with:**

*Arn.*

**Septicemia, blood, poisoning, drowsiness, . during fever and great prostration:**

*ANTHR., ARN., ARS., BAPT., BRY., CROT-C., CROT-H., ECHI., KALI-P., LACH., LYC., MUR-AC., PHOS., PYROG., SULPH., TARENT-C.*

**Septicemia, blood, poisoning, fever with intermittent or typhoid from:**

*Tarent.*

**Septicemia, blood, poisoning, pyemia, childbed fever, with:**

*Arn.*

**Varicose, veins, distended, fever, . in prevailing:**

*Am-m.*

**FEVER (SIMPLE CONTINUED FEVER) :[BONES] :**

**Aching, pain, fever, and, headache, followed :**

*Eup-per., Verat-v.*

**Aching, pain, intermittent, fever, . in:**

*Eup-per., Podo.*



**Pain, fever, in, bilious:**

*Eup-per.*

**Pain, fever, intermittent:**

*EUP-PER., Polyp-p.*

**Suppuration, hectic, fever, in men of dry habit :**

*Guai.*

**FEVER (SIMPLE CONTINUED FEVER) :[BRAIN] :**

**Coma, unconsciousness, alternating, with, restlessness fever during :**

*Ars.*

**Coma, unconsciousness, fever, during:**

*APIS., ARN., MUR-AC., NAT-M., OP., Acon., Bapt., Bell., Cact., Calad., Camph., Caps., Chlor., Clem., Colch., Crot-h., Dulc., Gels., Hyos., Ip., Iris., Lach., Laur., Lyc., Nit-s-d., Nux-m., Ph-ac., Phos., Puls., Ter., Verat.*

**Meningitis, exanthematous, fever:**

*RHUS-T.*

**FEVER (SIMPLE CONTINUED FEVER) :[BREASTS]:**

**Breast-feeding, fever :**

*BRY., Bell., Acon., Arn., Coff., Rhus-t.*

**Breast-feeding, fever, anger, after :**

*Cham.*

**Breast-feeding, fever, delirium, with:**

*Acon., Bell.*

**Breast-feeding, fever, rheumatic, pains in breast :**

*BRY.*

**Breast-milk, absent, suppressed , lochia, and fever, with:**

*Mill.*

**Breast-milk, cessation, sudden, in puerperal fever:**

*Verat-v.*

**Breast-milk, too, confinement, second day after hectic fever, with:**

*CALC.*

**Breast-milk, suppression, of, mother, milk ailments from fever, in puerperal :**

*Cham.*

**Lumps, in, fever, in, puerperal:**

*BRY.*

**Mastitis, left, of, childbirth, after, with fever and prostration:**

*Crot-h.*

**FEVER (SIMPLE CONTINUED FEVER) :[RESPIRATION] :**

**Breath, hot, fever, during:**

*Zinc.*

**Catching, respiration, fever, during:**

*SIL.*

**Cyanosis, fever, during:**

*Arund., Crot-h.*

**Snoring, adenoids, removal, after, fever, during:**

*OP., Apis., Con., Laur.*

**Stopped, breathing, fever, during:**

*Ruta.*

**FEVER (SIMPLE CONTINUED FEVER) :[CHEST] :**

**Bleeding, from, lungs, and, chest puerperal fever :**

*Ham.*

**Constriction, fever, during:**

*SEP.*

**Oppression, fever, during :**

*BOV., KALI-C., Apis., Ip., Nat-m., Ars., Cact., Carb-v., Cimic., Elaps., Lach., Plan., Puls., Sep.*

**Pain, fever, during:**

*ANT-C., Guare., Kalm., Ars., Canth., Caps., Carb-v., Cina., Kali-c., Nux-v.*

**Sharp, pain, fever, during:**

*BRY., Kali-c., Acon., Nux-v.*



### **FEVER (SIMPLE CONTINUED FEVER) :[CHILDREN] :**

**Fever, blisters, lips :**

APIS., NAT-M., RHUS-T., *Calc-f., Croto-t., Lac-c.,* Ars., Brom., Canth.,  
Graph., Hyos., Med., Phos., Sep., Urt-u.

**Fever, constant, infants:**

*Carc., Nat-m.*

**Fever, constant, infants, feverish, condition, with irritated nerves :**

*Cham.*

**Fever, constant, infants, startings, with:**

CAMPH.

**Rheumatic, fever:**

Acon., Bell., Kalm., Rhus-t.

**Scrofulous, large, bellies, sweat, about head worm fever slow and chronic:**

*Sil.*

### **FEVER (SIMPLE CONTINUED FEVER) :[CHILLS] :**

**Daytime, chills, fever, with, at night:**

Alum.

**Morning, chills, 5, a. m. after 36 hours, fever :**

Apis.

**Quartan, chills, double, with constant diarrhea, on the days free from fever :**

IOD.

**Time, of, chills, 5 a. m. after lasting 36 hours :**

Apis.

**Warmth, wrapping up amel, followed by severe fever and sweat :**

*Sil.*

### **FEVER (SIMPLE CONTINUED FEVER) :[CLINICAL] :**

**Abscess, suppurations, fever, after :**

Ph-ac.

**Abscess, suppurations, fever, after typhoid :**

Ph-ac.

**African, fever :**

TER.

**Asthma, allergic, hay, fever , with:**

ALL-C., ARS., CARC., IOD., THUJ., ALL-C., *Ambr., Ars-i., Bad., Carb-v., Dulc., Euphr., Ip., Kali-i., Lach., Lob., Med., Naja., Nat-s., Nux-v., Op., Sabad., Sil., Sin-n., Stict.*

**Asthma, allergic, hay, fever, with sneezing with :**

ALL-C., *Ars., Carb-v., Dulc., Euphr., Naja., Nat-s., Nux-v.,* Lach.,  
Sin-n., Stict.

**Bilious, fever:**

*Ant-t., Bell., Bry., Cham., Chel., Elaps., Eup-per., Hep., Ip., Iris., Merc., Mur-ac., Nux-v., Podo., Puls., Verat., Verat-v.*

**Convalescence, ailments, during, or since fever, fever ailments from:**

*Can., Hell., Chin., Gels., Lyc.*

**Cyanosis, lungs, fever, during:**

Arund., Carb-v., Crot-h., Dig., Laur.

**Dengue, fever:**

EUP-PER., *Acon., Bry., Rhus-t.,* Ars., Bell., Chin., Coloc., Ferr.,  
Ham., Ip., Merc., Nux-v., Podo., Sec., Sul-ac.

**Diphtheria, infection, high, fever:**

*Apis., Merc-c., Merc-i-f.,* Bapt.

**Diphtheria, infection, high, fever, following violent chill:**

PHYT.

**Diphtheria, infection, low, fever:**

*Carb-ac., Merc-cy., Mur-ac., Rhus-t.*

**Edema, general, external, fever, with:**

*Apis., Hell.,* Verat.

**Edema, general, external, fever, with hectic fever, with:**

*Aur-m.*

**Edema, general, external, fever, with intermittent :**

AUR-M., LAC-D., Carb-v., Chin., Ferr., Hell., Sin-n.

**Edema, general, external, fever, with intermittent after :**

*Dulc.,* Chim.



**Edema, general, external, fever, with protracted after, in marshy districts :**

All-s.

**Edema, general, external, fever, . with quinine, from abuse of, in intermittent:**

Ferr.

**Edema, general, external, fever, with remittent, from:**

Hell.

**Edema, general, external, fever, with suppressed, after :**

Ars., Ferr., Sulph., Chin., Dulc., Merc.

**Edema, general, external, scarlet, fever from:**

Apis., Apoc., Hell., Hep., Ter., Acon., Asc-c., Colch., Dig., Dulc., Juni-c., Lach., Piloc., Squil.

**Edema, general, external, urine, black suppressed, from fever and debility, with:**

Hell.

**Emaciation, body, fever, hectic, and night sweats :**

Cocc.

**Emaciation, body, fever, hectic, and night sweats intermittent:**

Aran.

**Emaciation, body, fever, hectic, and night sweats intermittent particularly of face :**

Tarent.

**Emaciation, body, fever, hectic, and night sweats typhoid, in:**

Ter.

**Emaciation, body, rapid, fever, in typhus or intermittent :**

Ars.

**Exantematic, fevers :**

ACON., APIS., BRY., EUPHR., PULS., SULPH., Am-c., Ant-c., Arn., Ars., Bell., Carbn-s., Carb-v., Chel., Chlor., Coff., Cop., Crot-h., Dros., Ferr-p., Gels., Ip., Kali-bi., Phos., Rhus-t., Squil., Stram.

**Good, health, before, paroxysms, fever and great debility, with :**

Indg.

**Hay, fever:**

ALL-C., ARS., ARUND., MED., NAT-M., NAT-S., PSOR., SABAD., SIN-N., TUB., Ambro., Aral., Ars-i., Arum-t., Brom., Carb-v., Cocain., Con., Dulc., Euphr., Gels., Just., Kali-i., Kali-p., Naja., Puls., Ran-b., Sang., Sil., Stict., Wye.

**Hay, fever, annual, prophylactic:**

Psor., Ars., Kali-p.

**Hay, fever, asthmatic, breathing, with :**

ALL-C., ARS., IOD., Ars-i., Bad., Carb-v., Dulc., Euphr., Naja., Nat-s., Nux-v., Sabad., Sin-n.

**Hay, fever, august, in:**

ALL-C., Dulc., Gels., Naja.

**Hay, fever, until, the, fall:**

Sin-n.

**Hay, fever, autumn, in:**

Wye.

**Hay, fever, chronic, coryza:**

BROM., Apis., Ars., Calc., Canth., Colch., Cycl., Lyc., Psor., Sang., Sil., Sulph., Tub., Teucr.

**Hay, fever, dryness, of, mucus membranes of nose, mouth and throat, with:**

Wye.

**Hay, fever, grass, newly, mown:**

Dulc.

**Hay, fever, spring, in:**

All-c., Ars., Gels., Sabad., Lach., Naja., Sang., Tub.

**Hepatitis, liver, abscesses, as, if by fever, causes :**

Sang.

**Herpes, simplex, fevers, in:**

NAT-M., Carb-v., Rhus-t.

**Malaria, creeps, and, fever, alternate:**

Nat-s.

**Marsh, fever:**

ARS., CHIN., IP., NAT-M., Ang., Asc-t., Rhus-t., Sang., Arn., Carb-v., Cina., Aran., Ferr., Sin-n., Verat.



**Marsh, fever, bilious, on, rice farms:**

*Asc-t.*

**Marsh, fever, marshy, regions, in warm seasons and tropical countries :**

*CEDR.*

**Mastitis, breasts, left, of childbirth, after with fever and prostration :**

*Crot-h.*

**Meningitis, brain, exanthematous, fevers :**

*RHUS-T.*

**Nephritis, kidneys, scarlet, fever, . from:**

*NAT-S., Apis., Ars., Canth., Colch., Hell., Hep., Merc-c., Rhus-t., Ter.*

**Nephritis, kidneys, scarlet, fever, from anasarca and edema of lungs, with:**

*Dig.*

**Neurosis, cordis, scarlet, fever , from:**

*Lach.*

**Paraplegia, fever, after :**

*Rhus-t.*

**Puerperal, fever, females:**

*ARS., BELL., BRY., CROT-H., VERAT-V., Acon., Arn., Bapt., Calc., Carb-ac., Colch., Hyos., Kali-c., Kreos., Lach., Merc., Mur-ac., Puls., Rhus-t., Sec.*

**Pyemia, childbed, fever, with:**

*Arn.*

**Rheumatic, fever:**

*AUR., BELL., BRY., CALC-P., CAUST., COLCH., FERR-P., IOD., KALI-BI., KALM., LYC., RHUS-T., SPIG.*

**Scarlet, fever, scarlatina :**

*ALL., AM-C., APIS., BELL., ECHI., LACH., LYC., MERC., NIT-AC., RHUS-T., TER.*

**Scarlet, fever, scarlatina, anginose :**

*Phyt.*

**Scarlet, fever, scarlatina, ailments, after :**

*AM-C., AM-M., BELL., CHAM., Bry., Calc., Carb-ac., Carb-v., Hep., Lach., Merc., Sulph.*

**Scarlet, fever, scarlatina, continually, rising:**

*Apis.*

**Scarlet, fever, scarlatina, headache, after :**

*Bry., Merc., Am-c., Bell. Carb-v., Cham., Dulc., Hell., Hep., Lach., Rhus-t.*

**Scarlet, fever, scarlatina, fever with delirium and thirst :**

*BELL., Dulc.*

**Scarlet, fever, scarlatina, malignant :**

*AIL.*

**Scarlet, fever, scarlatina, scarlet, rash :**

*ACON., AM-C., BELL., BRY., Chlol., Coff., Ip., Kali-bi., Merc., Phyt., Ail., Ars., Calc., Carb-v., Caust., Con., Dulc., Hyos., Iod., Lach., Ph-ac., Phos., Rhus-t., Sulph., Zinc.*

**Septic, fever:**

*ANTHR., ARN., ARS., BAPT., BRY., CROT-C., CROT-H., ECHI., KALI-P., LACH., LYC., MUR-AC., PHOS., PYROG., SULPH., TARENT-C.*

**Septic, fever, intermittent, or, typhoid from:**

*Tarent.*

**Septicemia, blood, poisoning, drowsiness, during fever and great prostration:**

*Bapt., Gels.*

**Septicemia, blood poisoning , pyemia, childbed fever with:**

*Arn.*

**Septicemia blood, poisoning, septic, fever :**

*ANTHR., ARN., ARS., BAPT., BRY., CROT-C., CROT-H., ECHI., KALI-P., LACH., LYC., MUR-AC., PHOS., PYROG., SULPH., TARENT-C.*

**Septicemia, blood, poisoning, septic, fever intermittent or typhoid from :**

*Tarent.*

**Smallpox, infection, high, fever, with great weakness:**

*Iod.*

**Torticollis, diphtheria, and scarlet, fever in:**



LACHN.

Trichophytosis, intersecting, rings, over, great portion of body with fever and great constitutional:

Tell.

**Tropical, fever:**

CEDR., PSOR., *Chin., Gels., Ter., Ars., Eup-per., Ip., Nat-m., Nat-s.*

**Tuberculosis, lungs, fever, in:**

Bapt., *Chin-ar., Ferr-p.*

**Typhoid, fever:**

AGAR., APIS., ARN., ARS., ARUM-T., BAPT., BELL., BRY., CALC., CARB-V., CHLOR., COLCH., CROT-H., ECHI., FERR., GELS., HYOS., LACH., LYC., MERC-CY., MUR-AC., NIT-AC., OP., PHOS., PH-AC., RHUS-T., STRAM., SULPH., TER., VALER., VERAT., ZINC.

**Typhoid, fever, hemorrhagic:**

CROT-H., PHOS., *Lach., Mill., Sul-ac., Bapt., Echi., Carb-v.*

**Typhoid, fever, oozing, of, dark thin blood from capillaries:**

*Sul-ac.*

**Vaccinations, ailments, after, fever, with backache headache:**

SIL.

**Yellow, fever:**

ARS., CADM-S., CANTH., CARB-V., CROT-H., LACH., MERC.

**Yellow, fever, sweat, is, checked from exposure to a draft of air when:**

*Cadm.*

**Yellow, fever, third stage, hemorrhages, with great paleness of face, violent headache great heavin:**

*Carb-v.*

**Zymotic, fever:**

ARN., ARS., BAPT., BRY., CARBN-S., CROT-H., ECHI., KALI-P., LACH., LYC., MUR-AC., PYROG., RHUS-T., SULPH.

**FEVER (SIMPLE CONTINUED FEVER)**

**:[CONSTITUTION] :**

Alcoholic, constitutions, yellow, fever, with:

*Cadm-s.*

Bilious, constitutions, dry, subjects, ague, where disease degenerates into a slow fever :

*Tarax.*

**Children, constitutions, fever:**

ACON., Bell., Carc., Stram.

**Choleric, constitutions, fever, in, intermittent, without reaction :**

Phel.

**Elderly, people, fever, intermittent:**

*Op. Chin.*

**Emaciated, constitutions, fever, long-lasting, cases of intermittent when liver is involved and blood:**

NIT-AC.

**Infants, fever, constant:**

*Carc., Nat-m.*

**Infants, fever, constant, feverish, condition with irritated nerves :**

*Cham.*

**Infants, fever, constant, startings, with:**

CAMPH.

**Weakly, sickly, constitutions, fever, intermittent:**

Ptel.

**Weakly, constitutions, hectic, fever worse after meals :**

*Sil.*

**Young, people, fast, growing, cough hemoptysis, typhoid fever, with diarrhea and rumbling in bowels :**

*Ph-ac.*

**Young, people, fever, violent, pains in joints, congestions swelling of limbs :**

*Sil.*

**FEVER (SIMPLE CONTINUED FEVER) :[COUGHING] :**

Dry, cough, fever, during :



ACON., BRY., CON., IP., KALI-C., NAT-M., NUX-V., PHOS., SABAD.,  
*Apis., Arn., Ars., Hyos.*

**Dry, cough, fever, during, intermittent, before:**

*Rhus-t., Tub., Eup-per.*

**Evening, 9, p, m, about, with fever followed by burning,  
head cramps in legs and feet:**

*Lyc.*

**Fever, during:**

ACON., ARS., CALC., CON., HEP., IP., KALI-C., NAT-M., NUX-V.,  
PHOS., SABAD., SPONG.

**Fever, during, intermittent, before, . in spells:**

*Rhus-t., Eup-per., Samb.*

**Fever, during, intermittent, before, . in spells after :**

*Nat-m.*

**Fever, during, intermittent, before, . in spells suppressed  
from:**

*Eup-per.*

**Fever, during, remittent, during:**

*Podo.*

**Fever, during, scarlet, after :**

*Ant-c., Con., Hyos.*

**Heat, fever, after :**

*Bell.*

**Loose, cough, fever, during:**

ARS., CALC., KALI-C., *Chin., Sil., Sulph., Alum., Anac., Apis., Ars-met.,*  
*Bell., Bism., Brom., Bry., Carb-v., Cic., Cub., Dig., Dros., Dulc., Ferr.,*  
*Iod., Kreos., Lyc., Ph-ac., Phos., Puls., Ruta., Seneg., Sep., Spong., Squil.,*  
*Stann., Staph., Thuj.*

**Remittent fever, during:**

*Podo.*

### **FEVER (SIMPLE CONTINUED FEVER) :[DELUSIONS] :**

**Fever, during:**

*Bell., Calc.*

**Typhoid, fever, thought, he would have :**

*Nat-p.*

### **FEVER (SIMPLE CONTINUED FEVER) :[DREAMS] :**

**Dreaming, fever, during:**

NUX-V., PULS., SPIG., *Acon., Nat-m., Ph-ac., Rhus-t., Bry., Chin.,*  
*Ferr-ma., Ign., Lact., Phos., Sabad., Sep., Sil., Staph., Sulph.*

**Fever:**

*Kali-chl., Sulph.*

**Feverish:**

*Euphr., Lach.*

**Nightmares, fever, during:**

*Hydrog.*

### **FEVER (SIMPLE CONTINUED FEVER) :[EARS] :**

**Burning, pain, fever, during:**

*Ran-b.*

**Coldness, of, fever, during :**

*Ip., Lach.*

**Coldness, of, fever, during, in warm bed meatus in:**

*Merc., Mez., Plat., Caust., Staph.*

**Coldness, of, fever, during, wind as from:**

*Mez., Caust., Mang., Sanic., Staph.*

**Discharges, scarlet, fever, after:**

CARB-V., LYC., PSOR., *Apis., Asar., Aur., Bar-m., Bov., Brom.,*  
*Calc-s., Crot-h., Graph., Hep., Kali-bi., Nit-ac., Puls., Sulph., Tell.,*  
*Verb.*

**Pain, ears, fever, during:**

*Calad., Calc., Chin-s., Graph.*

**Sharp, pain, fever, during:**

*Calc.*

### **FEVER (SIMPLE CONTINUED FEVER) :[EMERGENCY] :**

**Bites, cats, of, cat, scratch fever:**

*Hyper., Led.*

**Bites, fever, with:**

*Pyrog.*





**Burns, pyemia, hectic, fever:**

*Crot-h.*

**Catheter, bladder, ailments, from, fever, from:**

*Acon.*

**Coma, unconsciousness, fever, during:**

*APIS., ARN., MUR-AC., NAT-M., OP., Acon., Agar., Bapt., Bell., Cact., Calad., Camph., Caps., Chlor., Clem., Colch., Crot-h., Dulc., Gels., Hell., Hyos., Ip., Iris., Lach., Lyc., Nit-s-d., Nux-m., Ph-ac., Phos., Puls., Stram., Ter., Verat.*

**Convulsions, from, injuries, fever, during:**

*BELL., NUX-V., STRAM., Cic., Cina., Hyos.*

**Cuts, dissecting, hectic, fever:**

*Crot-h.*

**Cyanosis, fever, during:**

*Arund., Crot-h.*

**Fever, traumatic:**

*ARN., Acon., Apis., Ars., Chin., Coff., Iod., Lach., Lyss., Puls., Rhus-t., Staph., Sulph.*

**Lacerations, pyemia, hectic, fever, attending:**

*Crot-h., Pyrog.*

**Nosebleed, blow, from, a, fever during :**

*Ferr-p., Bry., Carb-v., Ham., Meli., Phos.*

**Scratches, ailments, from cat, scratch fever :**

*Hyper., Led.*

**Surgery, complications, from, sensitive, wounds painfully fever :**

*Acon.*

**Wounds, dissecting, pyemia, hectic ,fever:**

*Crot-h.*

**Wounds, fever, with:**

*Pyrog., Calen.*

**Wounds, stinging, in, fever, during:**

*Calen.*

**FEVER (SIMPLE CONTINUED FEVER) :[EYE] :**

**Burning, fever, during :**

*Petr., Cedr., Chin., Lyc., Rhod., Sul-ac.*

**Glassy, appearance, fever, during :**

*Bell., Bry., Glon., Iod., Op.*

**Heat, sensation, fever, during :**

*Sep.*

**Lachrymation, fever, during:**

*Acon., Apis., Bell., Calc., Cham., Eup-per., Ign., Lyc., Petr., Spig., Spong., Sulph.*

**Pain, fever, during:**

*LYC., Led., Nat-m., Nux-v., Sep., Stram., Hep., Kali-c., Ph-ac., Puls., Rhod., Rhus-t., Thuj.*

**Pressing, pain, fever, during:**

*Kali-c., Nat-c., Sep., Thuj.*

**Pupils, contracted, fever, during:**

*Gels., Acon., Arn., Ars., Bell., Cham., Cocc., Hyos., Mur-ac., Nux-v., Phos., Sec., Stram., Verat.*

**Pupils, dilated, epilepsy, fever, during :**

*BELL., Ail., Apis., Ars., Chin., Cic., Cina., Cocc., Colch., Hell., Lyc., Merc., Nux-v.*

**Sharp, pain, fever, during:**

*Kali-c., Lyc.*

**Strabismus, fever, with :**

*Bell., Cycl.*

**Turned, eyes, upward, fever, during:**

*Hell.*

**FEVER (SIMPLE CONTINUED FEVER) :[FACE] :**

**Bloated, fever, during:**

*Sil.*

**Discoloration, fever, during:**

*Lach.*

**Pale, fever, during:**

*CINA., CROC., Ars., Hep., Ip., Lyc., Cocc., Nat-m., Puls., Rhus-t., Sep., Spong., Thuj., Tub., Verat.*



**Perspiration, fever, during:**

PULS., *Cham., Chel., Dros., Lach., Psor., Alum., Ars., Bell., Dulc., Sep., Spong., Valer.*

**Red, fever, during:**

BELL., CHIN., EUP-PER., SEP., *Cedr., Cocc., Nux-v., Psor., Tub., Verat.*

**Red, fever, without :**

CAPS., FERR., *Ol-an., Phos., Psor.*

**Stinging, pain, fever, during :**

*Apis., Olnd.*

**Swelling, scarlet, fever:**

APIS., ARUMT-T., *Calc., Lyc., Hell., Kali-s., Zinc.*

**Yellow, fever, during:**

*Ferr., Lach., Nux-v.*

**FEVER (SIMPLE CONTINUED FEVER) :[FEET] :**

**Coldness, fever, during:**

*Arn., Iris., Lach., Stram., Sulph., Zinc., Am-c., Ars., Bar-c., Bell., Bufo., Calad., Calc., Caps., Carb-an., Carb-v., Chin., Hell., Ign., Ip., Kali-c., Kali-s., Meny., Nux-v., Petr., Puls., Ran-b., Rhod., Samb., Squil., Stann.*

**Cramps, soles, intermittent, fever, in:**

*Elat.*

**Heat, soles, fever, during:**

SULPH., *Ferr., Lach., Aesc., Canth., Cupr., Graph.*

**Nails, pain, nails, under, nails, intermittent fever in:**

*Eup-per.*

**Weak, fever, after:**

*Nat-s.*

**FEVER (SIMPLE CONTINUED FEVER) :[FEMALE] :**

**Handles, genitals, during, fever:**

*Hyos.*

**Handles, genitals, during fever, cough or spasms during :**

*Zinc.*

**Menses, suppressed, fever, from:**

*Cimic.*

**FEVER (SIMPLE CONTINUED FEVER);[FEVER] :**

**Fever, remedies:**

ACON., ANT-T., APIS., ARN., ARS., BAPT., BELL., BRY., CACT., CHIN-S., CON., FERR-P., GELS., HYDROG., KALI-I., LYC., MEZ., NAT-M., NUX-V., PHOS., PULS., PYROG., RHUS-T., SEC., SIL., SPONG., RHUS-T., SEC., SIL., SPONG., SQUIL., STRAM., TARAX., VERAT.

**Fever, remedies, agg, during:**

ARS., CHIN., NUX-V., SEP., *Ant-c., Bry., Calc., Cham., Ferr., Ip., Kali-br., Lyc., Nat-m., Op., Phos., Puls., Rhus-t., Sulph.*

**Fever, remedies, agg, during, after :**

ARS., CHIN., *Bell., Hep., Nux-v., Ant-c., Arn., Bry., Carb-v., Cina., Dig., Gels., Kali-c., Nat-m., Phos., Puls., Sep., Sil., Verat.*

**Fever, remedies, agg, during, before:**

ARS., CHIN., PULS., *Arn., Calc., Carb-v., Ip., Rhus-t., Sulph., Verat.*

**African, fever:**

*TER.*

**Afternoon, evening, towards, slight, fever:**

*Ferr.*

**Afternoon, night, and, afternoon, slight fever chill without, lasting all night continues all:**

*Ign.*

**Afternoon, walking, while, slight, fever chill without lasting all night open air, in the :**

*Meny.*

**Anticipating, fever:**

*Nux-v.*

**Ascending, fever:**

PHOS., SEP., SULPH., *Acon., Cina., Hyos., Lach., Nat-m., Verat.*

**Autumn, fever:**

AESC., BRY., COLCH., NAT-M., SEP., *Ars., Calc., Carb-ac., Eup-per., Nux-v., Rhus-t., Verat.*



**Autumn, fever, liver, and, spleen swollen:**

*Absin.*

**Bilious, fever:**

*Ant-t., Bell., Bry., Cham., Chel., Elaps., Eup-per., Hep., Ip., Iris., Merc., Mur-ac., Nux-v., Podo., Puls., Verat., Verat-v.*

**Bilious, fever, abdomen, cutting, pain in:**

*Elat.*

**Bilious, fever, anger, after :**

*Cham.*

**Bilious, fever, cold and, numb:**

*Lept.*

**Bilious, fever, debility:**

*Hydr.*

**Bilious, fever, evacuations, watery:**

*Elat.*

**Bilious, fever, miasmatic, influences, . not dependent upon:**

*Verat-v.*

**Bilious, fever, nausea, and , vomiting:**

*Elat.*

**Bilious, fever, plethoric, individuals, or in those suffering from portal stasis occurring in hot weather :**

*Nux-v.*

**Bilious, fever, remittent:**

*Crot-h.*

**Bilious, fever, remittent, caused, by atmospheric changes in spring or miasmatic influences in autumn:**

*Gels.*

**Bilious, fever, remittent, characteristic, gastric and intestinal symptoms:**

*Con.*

**Bilious, fever, remittent, low type, tendency to hemorrhage:**

*Crot-h.*

**Bilious, fever, remittent, or, intermitten:**

*Podo.*

**Bilious, fever, remittent, or, intermitten paroxysm nausea and vomiting of a bilious substance accom :**

*Podo.*

**Bilious, fever, skin dry, hot stupor black down center of tongue:**

*Lept.*

**Bilious, fever, tympanites:**

*Nat-s.*

**Bilious, fever, vomiting of bile:**

*Ip., Podo.*

**Burning, heat, intense, radiating, heat burning hot to touch then sweat with relief then fever with:**

*Sal-ac.*

**Catarrhal, fever:**

*ACON., BELL., BRY., HEP., MERC., Apis., Ars., Asc-c., Asc-t., Bad., Cact., Con., Cupr-m., Dros., Dulc., Eug., Gels., Ferr-p., Kali-c., Kali-i., Nux-v., Puls., Rhus-t., Sabad., Spig.*

**Catarrhal, fever, atmosphere, from, cold damp or sudden change from hot and dry to damp air:**

*Gels.*

**Catarrhal, fever, change, of weather, from every :**

*Myrt-c.*

**Catarrhal, fever, chilliness, and coldness predominate :**

*Euph.*

**Catarrhal, fever, hay, catarrh, . in:**

*Stict.*

**Catarrhal, fever, hoarseness, with:**

*Aur-m.*

**Catarrhal, fever, menses, during:**

*Graph.*

**Catarrhal, fever, pain, in, stomach:**

*Card-m.*

**Catheter, fever, after :**

*Acon.*

**Cerebro-spinal, fever:**



APIS., BELL., GELS., NAT-S., OP., VERAT-V., *Arg-n., Cic., Cimic., Ign., Nat-m., Nux-v., Phos., Rhus-t., Zinc.*

**Childbirth, fever, after :**

CARBN-S., ECHI., LACH., LYC., PULS., PYROG., RHUS-R., RHUS-T., SULPH.

**Childbirth, fever, after lochia, . suppressed, from:**

SULPH., *Lyc., Mill., Puls.*

**Chilliness, fever, with:**

ARS., CHIN., GELS., MERC., *Anac., Arn., Bell., Caust., Cham., Colch., Elaps., Kali-c., Kali-s., Podo., Pyrog., Sep., Spig., Squil., Sulph., Tarent., Tub., Zinc.*

**Chilliness, fever, with frequent :**

*Sil.*

**Chilliness, fever, with moving, on:**

*Ind.*

**Chilliness, fever, with, thirst, with:**

*Calad.*

**Chills, absent, evening, daily, fever at the same hour with shortness of breath :**

*Cedr., Cina.*

**Chills, with, fever:**

ACON., ARS., BELL., CHAM., CHIN., GELS., HELL., IGN., MERC., NIT-AC., NUX-V., RHUS-T., SULPH.

**Chills, with, fever, heat, and perspiration:**

*Jab., Mez., Nux-v.*

**Chills, with, fever, perspiration, . without subsequent:**

*Graph.*

**Chills, with, fever, shaking:**

*Merc., Sec.*

**Day, febrile, heat, only, during the:**

*Euph-per., Ail., Ant-t., Bell., Berb., Carb-v., Ox-ac., Sep., Sulph., Thuj.*

**Day, febrile, heat, only, during the periodically during the:**

*Sil.*

**Dengue, fever:**

EUP-PER., *Acon., Bry., Rhus-t., Ars., Bell., Chin., Coloc., Ferr., Ip., Merc., Nux-v., Podo., Sec., Sul-ac.*

**Descending, fever:**

*Alum., Bell., Caust., Acon., Agar., Bar-c., Calc-p., Canth., Chel., Cic., Coff., Colch., Croc., Euphr., Laur., Mag-c., Mez., Mosch., Nat-c., Op., Par., Ruta., Sabin, Stront-c., Sul-ac., Thuj., Valer., Verat., Zinc.*

**Diphtheria, high, fever:**

*Apis., Merc-c., Merc-i-f., Bapt.*

**Diphtheria, high, fever, following, violent chill:**

*PHYT.*

**Diphtheria, low, fever:**

*Carb-ac., Merc-cy., Mur-ac., Rhus-t.*

**Duration, ten, lasting intense fever :**

*Chin-s.*

**Emaciation, with, hectic, fever, and night sweats :**

*Cocc., Ph-ac., Tub., Ars.*

**Emaciation, with, hectic, fever, and, . night sweats intermittent :**

*Aran.*

**Emaciation, with, hectic, fever, and night sweats intermittent particularly of face :**

*Tarent.*

**Emaciation, with, hectic fever, and night sweats tuberculosis, in:**

*Tub., Ph-ac.*

**Emaciation, with, hectic, fever, and night sweats typhoid, in:**

*Ter.*

**Eruptions, lips, on, after fever :**

*Spong.*

**Exantematic, fevers:**

ACON., APIS., BRY., EUPHR., MORBILL., PULS., SULPH., *Am-c., Ant-c., Arn., Ars., Bell., Carb-s., Carb-v., Chel., Chior., Coff., Cop., Crot-h., Dros., Ferr-p., Gels., Ip., Kali-bi., Phos., Rhus-t., Squil., Stram.*

**Exantematic, fevers, children, in:**

*Acon., Apis., ant-c., bell., Bry., Puls., Rhus-t.*

**Formication, all, over with, fever :**

*Agar., Arund.*



**Gastric, fever:**

ANT-C., ANT-T., ARS., BRY., IP., MERC., NUX-V., PULS., *Acon., Arg-n., Arn., Bell., Cham., Chel., Chin., Colch., Coloc., Gels., Hydr., Phos., Podo., Rhus-t., Sec., Sulph., Verat.*

**Gastric, fever, anger, after :**

CHAM., *Acon., Bry., Coloc., Nux-v., Staph.*

**Gastric, fever, debility:**

*Hydr.*

**Gastric, fever, hot, weather, in from abuse of ice water and summer beverages :**

CARB-V.

**Gastric, fever, jerking, of, arms and fingers :**

*Stram.*

**Gastric, fever, low, nervous, bilious lingering :**

*Cocc.*

**Gastric, fever, nervous:**

*Lach., Daph.*

**Gastric, fever, pain, in stomach and liver:**

*Card-m.*

**Gastric, fever, plethoric, or, suffering from portal stasis in hot weather or warm wet days :**

*Nux-v.*

**Hair, dryness, after nervous, fever:**

*Kali-c.*

**Hair, dryness, after, nervous, fever, falls after fever:**

*Ph-ac.*

**Hectic, fever:**

ACET-AC., ARS., ARS-I., CALC., CAPS., IOD., KALI-AR., LYC., PHOS., SANG., SEP., SIL., TUB.

**Hectic, fever, afternoon or, towards evening :**

*Ph-ac.*

**Hectic, fever, afternoon, or, towards evening every :**

*Med.*

**Hectic, fever, anguish with, red cheeks :**

CALC.

**Hectic, fever, children, especially, in :**

*Merc.*

**Hectic, fever, chills, alternate, and heat:**

CALC.

**Hectic, fever, chills, alternate, and heat shaking then heat and drenching sweat:**

*Gels.*

**Hectic, fever, cough, in whooping with debility :**

*Verat.*

**Hectic, fever, cough, with:**

*Acet-ac.*

**Hectic, fever, cough, with, night:**

*Caps.*

**Hectic, fever, cystitis, in:**

*Eup-pur.*

**Hectic, fever, cystitis, in, cystitis, or kidney disease:**

*Chim.*

**Hectic, fever, daily, forenoon, . 11 to 12 or 1 p. m.:**

*Arg-m.*

**Hectic, fever, debilitated, persons, in worse after meals :**

*Sil.*

**Hectic, fever, diseases, after, exhausting, loss of fluids, etc :**

CALC., CHIN.

**Hectic, fever, dyscrasia:**

*Iod.*

**Hectic, fever, edema, in:**

*Aur-m.*

**Hectic, fever, emaciation, and, night sweats:**

*Cocc.*

**Hectic, fever, emaciation, and, night sweats and tubercular condition:**

*Merc-c.*

**Hectic, fever, emotions, after, depressing:**

CAPS., *Lach., Ph-ac., Staph.*



Hectic, fever, evening, with, sharply circumscribed redness of cheeks especially left:

*Sulph.*

Hectic, fever, expectoration, sweetish, purulent slight mucous rhonchus and sibilant rale:

*Ptel.*

Hectic, fever, flushes, frequent :

*CALC.*

Hectic, fever, gonarthrocace:

*Ars.*

Hectic, fever, hemoptysis, with:

*Mill.*

Hectic, fever, hepatitis, suppuration:

*Phos.*

Hectic, fever, hip, disease, in:

*Aesc., Calc., Caust., Sil., Phos.*

Hectic, fever, influenza, after :

*Abrot.*

Hectic, fever, intermittent, paroxysms :

*Hep.*

Hectic, fever, jaundice:

*Sulph.*

Hectic, fever, laryngeal, and, bronchial troubles, eleven a. m. to twelve or one p. m.:

*Arg-m.*

Hectic, fever, lipoma, on, neck:

*Phos.*

Hectic, fever, lungs, chronic, bleeding, from:

*Senec.*

Hectic, fever, lungs, bleeding, from lungs, suppuration of :

*Lyc.*

Hectic, fever, measles, in:

*Lach.*

Hectic, fever, night at, preventing sleep:

*Ol-j.*

Hectic, fever, nostalgia, from:

*CAPS.*

Hectic, fever, pleurisy, in:

*Bry., Carb-v.*

Hectic, fever, pleuropneumonia, in:

*Hep.*

Hectic, fever, pneumonia, in:

*Sulph.*

Hectic, fever, pus, enormous, quantities of:

*Iod.*

Hectic, fever, scarlatina, after :

*Aur-m.*

Hectic, fever, scrofulosis, and, rachitis, with protracted ill-treated cases :

*Petr.*

Hectic, fever, scurvy:

*Am-c.*

Hectic, fever, shuddering, constant, in evening:

*CALC.*

Hectic, fever, skin, dry, withered:

*CALC.*

hectic, fever, slow, progress, in third stage of croupous pneumonia:

*Iod.*

Hectic, fever, slow, progress, in third stage of croupous pneumonia spinal abscess, in :

*Ph-ac.*

Hectic, fever, stomach, after, a blow on:

*Arn.*

Hectic, fever, supplicative, process, during :

*SIL., Ars., Carb-v., Chin., Hep., Merc., Sulph.*

Hectic, fever, sweat, and, diarrhea, with:

*Phos.*

Hectic, fever, sweat, diarrhea, with sour emaciation, and great debility :



Fl-ac.  
**Hectic fever, sweats, easily:**  
 CALC.  
**Hectic fever, sweats, easily, clammy night after pneumonia:**  
 Lyc.  
**Hectic fever, sweats, easily, night with:**  
 Eup-pur., Lyc., Phos., Rob.  
**Hectic fever, syphilis, secondary:**  
 Aur-m.  
**Hectic fever, thirst, no:**  
 Ars-s-f.  
**Hectic fever, throat, swelling, and redness in, dryness, soreness, as in scarlet fever :L**  
 Sang.  
**Hectic fever, trachea, is, implicated :**  
 Iod.  
**Hectic fever, tubercles, of, lungs develop:**  
 Phos.  
**Hectic fever, tuberculosis, in:**  
 CALC., PLB., Kreos. Samb., Tril., Tub.  
**Hectic fever, tuberculosis, in, with appearance similar to chronic :**  
 Hippos.  
**Hectic fever, ulceration, chronic, of mucous membrane:**  
 Kali-bi.  
**Hectic fever, urine, with, red :**  
 Calc., Sulph.  
**Hectic fever, weakening:**  
 Abrot.  
**Hiccough, in, place, of, fever:**  
 Ars.  
**High fever:**  
 ACON., ARN., ARS., BAPT., BELL., CARC., CON., GELS., MEZ., NAT-M., PULS., PYROG., RHUS-T., SEC.  
**High fever, children, in:**

ACON., BELL., STRAM., Bapt., Carc., Pyrog.  
**High fever, children, in, excitability, with:**  
 ACON., BELL., Coff-t., Ferr-p., Ars., Cham.  
**High fever, convulsions, with:**  
 BELL., STRAM., Cic., Hyos., Op.  
**High fever, delirium, with:**  
 ARS., BELL., NAT-M., OP., PULS., STRAM., Apis., Bry., Chin-s., Chlor., Ant-t., Carb-v., Chin., Coff., Hep., Hyos., Iod., Nux-v., Sarr., Sec.  
**High, head, and, face hot, body cold:**  
 ARN., BELL., Op., Stram.  
**High fever, sleep, during :**  
 MEZ., OP., Ant-t., Lach., Nat-m., Nux-m., Apis., Caps., Gels., Lyc., Rhus-t., Stram.  
**High fever, sleep, during, after :**  
 Cina., Op.  
**High fever, stupefaction, and, unconsciousness, with:**  
 NAT-M., OP., Bapt., Bell., Cact., Phos., Ph-ac.  
**High fever, stupefaction, and unconsciousness, with:**  
 ACON., BELL., BRY., FERR-P., MERC., PULS., RHUS-T., Sin-n., Sulph.  
**Inflammatory fever, children, in, with excitability:**  
 ACON., BELL., Coff., Ferr-p., Ars., Cham.  
**Inflammatory fever, croup, in:**  
 Spong., Acon., Hep.  
**Inflammatory fever, does, not, reach a high grade :**  
 Hydr., Ferr-p.  
**Inflammatory fever, lung, affections, in:**  
 Kali-n., Phos., Ars., Kali-c.  
**Inflammatory fever, pulmonary, hepatic, or gastric :**  
 Sang., Kali-c., Phos.  
**Insidious fever:**  
 Ars., Chin., Sec., Sulph., Tub., Acet-ac., Cocc., Con., Colch.  
**Intermittent fever:**



ANT-C., ANT-T., ARS., CAPS., CEDR., CHAM., CHIN., CHIN-S., CIMX., COLCH., ELAT., EUP-PER., IP., MENY., NAT-M., NUX-M., PULS.

**Intermittent, fever, abdominal, affections, with :**

*Petr.*

**Intermittent, fever, abdominal, affections, with chilliness, in:**

*Meny.*

**Intermittent, fever, afternoon, in:**

*Apis.*

**Intermittent, fever, afternoon, in, 2 p. m. worse :**

*Lach.*

**Intermittent, fever, afternoon, in, lasting till three or four o clock next morning :**

*Rob.*

**Intermittent, fever, afternoon, in, paroxysm coming every :**

*Chel.*

**Intermittent, fever, anticipating :**

*Ant-t., Ars., Bell., Chin., Eup-per., Gamb., Ign., Nat-m., Nux-v.*

**Intermittent, fever, anticipating, each time two hours :**

*Chin-s.*

**Intermittent, fever, apathy, great, and night sweats :**

*Ph-ac.*

**Intermittent, fever, apoplectic:**

*NUX-V.*

**Intermittent, fever apyrexia :**

*Ars.*

**Intermittent, fever, apyrexia, abdomen, bloated :**

*Chin.*

**Intermittent, fever apyrexia, abdomen, bloated abdominal viscera, pains in, especially liver with great:**

*Polyp-p.*

**Intermittent, fever apyrexia anemic, appearance :**

*Chin.*

**Intermittent, fever, apyrexia, apathy :**

*Ign.*

**Intermittent, fever, apyrexia, appetite, loss of :**

*Nat-m., Polyp-p., Puls., Chin., Ip., Sabad.*

**Intermittent, fever, apyrexia, appetite, loss of quotidian, in:**

*Ip.*

**Intermittent, fever apyrexia, back, pain in:**

*Ign.*

**Intermittent, fever, apyrexia, back, pain in in small of :**

*Ip.*

**Intermittent, fever, apyrexia, back, pain in:**

*Ign.*

**Intermittent, fever, apyrexia, back, pain, in in small of :**

*Ip.*

**Intermittent, fever, apyrexia, back, belching, rancid sour:**

*Sabad.*

**Intermittent, fever, apyrexia, breathing, oppressed:**

*Sabad.*

**Intermittent, fever, apyrexia, bruised, feeling in limbs :**

*Ip.*

**Intermittent, fever, apyrexia, cachectic, appearance:**

*Chin.*

**Intermittent, fever, apyrexia, chest, oppression of:**

*Sabad.*

**Intermittent, fever, apyrexia, chest, oppression of pain in:**

*Sabad.*

**Intermittent, fever, apyrexia, chest, oppression of pain in, in quotidian:**

*Puls.*

**Intermittent, fever, apyrexia, chilly:**

*Sabad.*

**Intermittent, fever, apyrexia, colic:**

*Ign.*

**Intermittent, fever, apyrexia, cough :**

*Sabad.*

**Intermittent, fever, apyrexia, cough, irritation to, in larynx :**

*Ign.*





**Intermittent, fever, apyrexia, cough, loose:**

*Eup-per.*

**Intermittent, fever, apyrexia, cough, with expectoration of bitter taste :**

*Puls.*

**Intermittent, fever, apyrexia, crusty, lips:**

*Ars.*

**Intermittent, fever, apyrexia, debility, and painful diarrhea :**

*Corn.*

**Intermittent, fever, apyrexia, debility, and painful diarrhea debility , in tertian:**

*Ip.*

**Intermittent, fever, apyrexia, delirium:**

*Nat-m.*

**Intermittent, fever, apyrexia, despondent:**

*Ip.*

**Intermittent, fever, apyrexia, diarrhea, mucous:**

*Puls.*

**Intermittent, fever, apyrexia, diarrhea, mucous stools grayish-yellow:**

*Ip.*

**Intermittent, fever, apyrexia, dyspepsia, flatulent, with heat and twitching in epigastric region eruc :**

*Petros.*

**Intermittent, fever, apyrexia, epigastrium, aching in:**

*Ign.*

**Intermittent, fever, apyrexia, face, bloated :**

*Ars.*

**Intermittent, fever, apyrexia, face, bloated pale:**

*Ign., Ip., Sep.*

**Intermittent, fever, apyrexia, face, bloated yellow:**

*Arn.*

**Intermittent, fever, apyrexia, gastric symptom:**

*ANT-C., Dros., Ip., Nux-v.*

**Intermittent, fever, apyrexia, head, burning in, with cold hands and feet:**

*Ign.*

**Intermittent, fever, apyrexia, head, burning in, with cold hands and feet dullness in, with loss of appet :**

*Nux-v.*

**Intermittent, fever, apyrexia, head, burning in, with cold hands and feet heaviness in:**

*Ign.*

**Intermittent, fever, apyrexia, head, burning in, with cold hands and feet were smaller sensation as if:**

*Ign.*

**Intermittent, fever, apyrexia, headache:**

*Arn., Nat-m., Polyp-p., Puls.*

**Intermittent, fever, apyrexia, heaviness, of whole body with hilliness and sleepiness during day:**

*Puls.*

**Intermittent, fever, apyrexia, herpes, labialis:**

*Ip.*

**Intermittent, fever, apyrexia, hungry, about eleven a. m.:**

*Ign.*

**Intermittent, fever, apyrexia, hypochondria, sensitiveness in:**

*Chin.*

**Intermittent, apyrexia, hypochondria, sensitiveness in stitching in left :**

*Puls.*

**Intermittent, fever, apyrexia, itching, of whole body:**

*Elat.*

**Intermittent, fever, apyrexia, kidneys, pain in region of :**

*Nat-m.*

**Intermittent, fever, apyrexia, knees, giving away of, languor:**

*Ign.*

**Intermittent, fever, apyrexia, larynx, sensation of a foreign body lying over:**



Ign.  
**Intermittent, fever, apyrexia, lassitude :**  
Puls.  
**Intermittent, fever, apyrexia, lassitude, lassitude, in quotidian:**  
Ip.  
**Intermittent, fever, apyrexia, legs, pain in:**  
Puls.  
**Intermittent, fever, apyrexia, lemon, juice with coffee:**  
NAT-M., Hyos., Mez., Cit-l., Tarax.  
**Intermittent, fever, apyrexia, limbs, pain, in:**  
Ip., Ign.  
**Intermittent, fever, apyrexia, lips, cracked :**  
Ars., Ign.  
**Intermittent, fever, apyrexia, lips, cracked pale or swollen :**  
Ars.  
**Intermittent, fever, apyrexia, liver, region, continual stitches in:**  
Nat-m.  
**Intermittent, fever, apyrexia, liver, region continual stitches in pressure in, sometimes alternating :**  
Nat-m.  
**Intermittent, fever, apyrexia, meat, aversion to:**  
Arn.  
**Intermittent, fever, apyrexia, nausea:**  
Puls.  
**Intermittent, fever, apyrexia, sadness:**  
Ip.  
**Intermittent, fever, apyrexia, salivation:**  
Ip.  
**Intermittent, fever, apyrexia, sclerotica, burning and redness of :**  
Rhus-t.  
**Intermittent, fever, apyrexia, sleep, continues from heat through sweating stage :**

Ign.  
**Intermittent, fever, apyrexia, sleep, continues from heat through sweating stage restless:**  
Ip.  
**Intermittent, fever, apyrexia, sleep, continues from heat through sweating stage sound with snoring:**  
Ign.  
**Intermittent, fever, apyrexia, sleep, continues from heat through sweating stage starting in :**  
Ign.  
**Intermittent, fever, apyrexia, stomach, bloated :**  
Sabad.  
**Intermittent, fever, apyrexia, stomach bloated disturbance of digestive organs :**  
Ferr.  
**Intermittent, fever, apyrexia, stomach, bloated emptiness, pressure or weakness in:**  
Ip.  
**Intermittent, fever, apyrexia, stool, hard :**  
Ign.  
**Intermittent, fever, apyrexia, stool, hard frequent watery with pain in abdomen :**  
Elat.  
**Intermittent, fever, apyrexia, stool, hard ineffectual urging to:**  
Ign.  
**Intermittent, fever, apyrexia, stool, hard loose:**  
Ip.  
**Intermittent, fever, apyrexia, taste, loss of:**  
Nat-m.  
**Intermittent, fever, apyrexia, taste, loss of bitter :**  
Elat.  
**Intermittent, fever, apyrexia, taste, loss of insipid water of:**  
Ip.



**Intermittent, fever, apyrexia, taste , loss of bitter:**

*Arn., Polyp-p.*

**Intermittent, fever, apyrexia, taste, loss of earthy:**

*Ip.*

**Intermittent, fever, apyrexia, taste, loss of pappy:**

*Ign.*

**Intermittent, fever, temples, throbbing in:**

*Ign.*

**Intermittent, fever, apyrexia, thirst :**

*Cimx., Nat-m.*

**Intermittent, fever, apyrexia, thoughts, difficulty in collecting:**

*Ip.*

**Intermittent, fever, apyrexia, tongue dry, white :**

*Nat-m.*

**Intermittent, fever, apyrexia, tongue, dry white or yellow:**

*Polyp-p.*

**Intermittent, fever, apyrexia, tongue dry, white, in quotidian, with icterus :**

*Elat.*

**Intermittent, fever, apyrexia, urine, dark:**

*Elat.*

**Intermittent, fever, apyrexia, urine dark scanty :**

*Chin.*

**Intermittent, fever, apyrexia, urine dark scanty red:**

*Ip.*

**Intermittent, fever, apyrexia, urticaria, better by rubbing :**

*Elat.*

**Intermittent, fever, apyrexia, vertigo:**

*Ign., Ip.*

**Intermittent, fever, apyrexia, vomiting of bile and bitter mucus:**

*Sabad.*

**Intermittent, fever, apyrexia, wanting, or very short :**

*Gels.*

**Intermittent, fever, apyrexia, weakness:**

*Ars., Gels., Hep., Ip., Sabad.*

**Intermittent, fever, apyrexia, weakness, limbs of:**

*Chin., Sabad.*

**Intermittent, fever, apyrexia, weakness, whole muscular system, of:**

*Gels.*

**Intermittent, fever, asthma, with, for a year :**

*Tab.*

**Intermittent, fever, attacks twelve to eighteen, eighteen, during twenty-four hours:**

*Sabad.*

**Intermittent, fever, autumnal:**

*Bapt., Bry., Chin., Nat-m., Nux-v., Rhus-t., Sin-n., Verat.*

**Intermittent, fever, back, pain, in small of :**

*LACH.*

**Intermittent, fever, back, pain, in small of weakness and neck pains in before :**

*Gels.*

**Intermittent, fever, bilious:**

*Puls.*

**Intermittent, fever, fever, belching, with:**

*Sabad.*

**Intermittent, fever, breathing, oppression, of, constriction of chest, pain in region of liver thirst :**

*Kali-c.*

**Intermittent, fever, broncho-pneumonia, after :**

*Chin-m.*

**Intermittent, fever, cachectic, persons:**

*CALC., Hydr.*

**Intermittent, fever, cachectic, persons , after loss of blood or from continued and long prostration :**

*Chin., Chin-s.*

**Intermittent, fever, calves, with, cramps in:**

*Mag-p.*



**Intermittent, fever, change, change, of, type, frequent:**

*Ferr., Elat.*

**Intermittent, fever, changing, type, continually, especially after abuse of quinine:**

*Ign.*

**Intermittent, fever, chest, in, . oppression :**

*Crot-h.*

**Intermittent, fever, children, in:**

*Gels., Nux-v., Op., Ars., Chin., Ip.*

**Intermittent, fever, cholera, cholera, during:**

*Verat., Camph.*

**Intermittent, fever, chronic:**

*ARS., CALC., CHIN., FERR., KALI-S., LYC., NAT-M., NAT-S., NIT-AC., PSOR., PYROG., SULPH., TARENT., TUB.*

**Intermittent, fever, chronic, abuse, of quinine after :**

*Plan., Chin.*

**Intermittent, fever, chronic, afternoon, and evening agg.:**

*Ars-s-f.*

**Intermittent, fever, chronic, partially, recovers, then relapses:**

*Sulph., Ars.*

**Intermittent, fever, chronic, stomach, pain with:**

*Abies-n.*

**Intermittent, fever, colic, with:**

*Aran., Cham.*

**Intermittent, fever, colic, with, and lameness in small of back :**

*Cocc.*

**Intermittent, fever, confinement, fifth, day after :**

*Lach.*

**Intermittent, fever, congestive:**

*Nux-v.*

**Intermittent, fever, convalescence, in:**

*Eucal.*

**Intermittent, fever, convulsions, in, children, with:**

*Gels.*

**Intermittent, fever, convulsions, in children with tonic:**

*Nat-m.*

**Intermittent, fever, delirium:**

*Sabad.*

**Intermittent, fever, diarrhea, during :**

*CINA., Rhus-t., Ars., Chin-ar., Cocc., Con., Gels., Puls., Thuj.*

**Intermittent, fever, dropsy, with:**

*AUR-M., Chin., Sin-n.*

**Intermittent, fever, dropsy, with, tonic, after :**

*LAC-D., Hell.*

**Intermittent, fever, dropsy, with, suppression of after :**

*Cor-r.*

**Intermittent, fever, dyscrasia:**

*Aran.*

**Intermittent, fever, dysentery, with:**

*Polyp-p.*

**Intermittent, fever, elderly people, with coma :**

*Op., Alum., Nux-m.*

**Intermittent, fever, head, and, body, pain in, when he no chill, tongue not much coated :**

*Gels.*

**Intermittent, fever, epidemic:**

*Lyc.*

**Intermittent, fever, eruptions, after suppressed :**

*CALC.*

**Intermittent, fever, feet, after have become wet and cold :**

*Nux-v.*

**Intermittent, fever, food, and nausea, regurgitation of :**

*Sabad.*

**Intermittent, fever, food, and nausea regurgitation of suppression of , after sensitiveness to smell of :**

*Colch.*

**Intermittent, fever, gastric:**

*Ant-c., Arg-n., Ars., Ip., Puls.*



**Intermittent, fever, gastric, and bilious symptoms, or consequent upon abuse of chinona or quinine, wit:**

*Puls.*

**Intermittent, fever, gastric, rheumatic:**

*Ant-t.*

**Intermittent, fever, gonorrhoeal, contamination, with:**

*Med., Thuj.*

**Intermittent, fever, gout, with:**

*Ferr., Led.*

**Intermittent, fever, head congestion, to :**

*Cact.*

**Intermittent, fever, headache, with:**

*Cina., Kali-c., Polyp-p., Chin., Cist.*

**Intermittent, fever, headache, with, coming on early in morning after suppressed :**

*Nat-m.*

**Intermittent, fever, hot, days, cool nights :**

*Acon., Colch., Merc.*

**Intermittent, fever, hunger ravenous:**

*Staph.*

**Intermittent, fever, ice, house, after staying in:**

*Eup-per.*

**Intermittent, fever, incomplete :**

*Ars.*

**Intermittent, fever, incomplete, consisting, only of heat and sweat with moderate thirst :**

*Mang.*

**Intermittent, fever, irregular, cases, in beginning of:**

*Ip.*

**Intermittent, fever, irregular, Cases, in beginning of chiefly cold stage, incompletely developed, han:**

*Meny.*

**Intermittent, fever, irregular, cases, in beginning of paroxysms:**

*Agn., Ign., Ip., Nux-v., Hippoz., Mill., Samb., Sulph., Sul-ac.*

**Intermittent, fever, irregular, cases, in beginning of periodicity and evolution of stage in:**

*Ign.*

**Intermittent, fever, complaints, . after :**

*LACH., Ars., Chin.*

**Intermittent, fever, liver, complaints, after enlarged with :**

*NIT-AC., Lyc., Chin., Ferr-ar., Ferr-i., Nat-m., Phos.*

**Intermittent, fever, complaints, after functional diseases of :**

*Hydr., Chin.*

**Intermittent, fever, long-lasting, fever, with:**

*ANT-T., Ferr., Tarent., Cact., Canth., Colch., Hep., Ip., Sec., Sil.*

**Intermittent, fever, lungs, hemorrhage, with:**

*Arg-n.*

**Intermittent, fever, malarial:**

*ARN., CHIN.*

**Intermittent, fever, malarial, quotidian:**

*Gels.*

**Intermittent, fever, malignant :**

*Crot-h.*

**Intermittent, fever, marsh, fever:**

*ARS., CHIN., IP., NAT-M., Agn., Asc-t., Rhus-t., Sang., Arn., Carb-v., Cina., Aran., Ferr., Sin-n., Verat.*

**Intermittent, fever, marshy, regions, in warm seasons and tropical countries :**

*CEDR.*

**Intermittent, fever, masked:**

*Ars., Sep., Tarent., Tub., Ip., Nux-v., Spig.*

**Intermittent, fever, masked , choreic, or neuralgic manifestations:**

*Gels.*

**Intermittent, fever, menses, after :**

*NUX-V.*

**Intermittent, fever, miscarriage, pains, threatening, in early months of pregnancy, during febrile stag:**

*Puls.*



**Intermittent, fever, monthly, attacks:**

*NUX-V.*

**Intermittent, fever, morning worse, early in:**

*Verat.*

**Intermittent, fever, nausea, and, vomiting during paroxysm:**

*Gels.*

**Intermittent, fever, nausea, and, vomiting during paroxysm and regurgitation :**

*Sabad.*

**Intermittent, fever, nervous, symptoms, predominate :**

*Gels.*

**Intermittent, fever, night, midnight, worse after:**

*Ran-b., Raph.*

**Intermittent, fever, noon, principally, before:**

*Guare.*

**Intermittent, fever, obstinate, cases, hot flushes and hot soles at night :**

*Sulph.*

**Intermittent, fever, obstinate cases, hot flushes and hot soles at night worse by exposure and neglect :**

*Polyp-p.*

**Intermittent, fever, occiput, pain, in before:**

*Gels.*

**Intermittent, fever, opium suppression, by:**

*Calc-ar.*

**Intermittent, fever, paralysis, follows:**

*RHUS-T.*

**Intermittent, fever, periodicity, strongly marked :**

*Petros., Cedr., Gels.*

**Intermittent, fever, periosteal, pains, with:**

*Mur-ac.*

**Intermittent, fever, pernicious, fever:**

*Apis., Arn., Verat., Camph., Cur., Nux-v., Op.*

**Intermittent, fever, postponing :**

*Chin., Cina., Gamb., Ign., Ip.*

**Intermittent, fever, prevailing, icterus, yellow stool white, urine dark yellow :**

*Sang.*

**Intermittent, fever, prodromal, stage:**

*Gels.*

**Intermittent, fever prosopalgia, suppressed, by quinine :**

*STANN.*

**Intermittent, fever, quartan, fever, :**

*BUFO., CIMX., NUX-V., Ars., Coff., Eup-per., Hyos., Ign., Ip., Nat-m., Phel., Puls., Sabad., Sin-n.*

**Intermittent, fever, quartan, fever, diarrhea on days free from fever :**

*Iod.*

**Intermittent, fever, quartan, double :**

*Ars., Chin., Dulc., Eup-per., Eup-pur., Gamb., Lyc., Nux-m., Puls., Rhus-t.*

**Intermittent, fever, quartan, fever, paroxysm between three and four a m.:**

*Sep.*

**Intermittent, fever, quartan, fever, paroxysm in evening, chill predominating :**

*Rhus-t.*

**Intermittent, fever, quartan, fever, since two years :**

*Nat-m.*

**Intermittent, fever, fever, quartan, fever, six, weeks, paroxysm twelve m then attack like cholera morbus :**

*Elat.*

**Intermittent, fever, quartan, fever, two years resisting many remedies:**

*Ptel.*

**Intermittent, fever, quinine, after, abuse of :**

*CALC., CHIN., CHIN-S., IP., PULS., Arn., Elat., Ferr., Gels., Hep., Nat., Verat.*

**Intermittent, fever, quinine, after, abuse of relapse into bilious with burning and rending pain:**



*Lach.*

**Intermittent, fever, quinine, after, abuse of spleen swollen:**

*Ran-s.*

**Intermittent, fever, quotidian, fever:**

*ARS., Caps., Cedr., Chin-s., Aran., Eup-per., Eup-pur., Hep., Ign., Ip., Kali-br., Lob., Nat-m., Petros., Puls., Rhus-t., Samb., Sep.*

**Intermittent, fever, quotidian:**

*Stram., Tarax., Verat., Staph., Sulph.*

**Intermittent, fever, quotidian, 1, to 3 p. m.:**

*Nat-m.*

**Intermittent, fever, quotidian, 4. 45, p. m. to 6. 30 p. m.:**

*Lyc.*

**Intermittent, fever, quotidian, 5, p. m. preceded by yawning and pain in maxillary joint, as if dislocate :**

*Rhus-t.*

**Intermittent, fever, quotidian, 8, to, p. m.:**

*Elaps.*

**Intermittent, fever, quotidian, 9, a. m.:**

*Meny.*

**Intermittent, fever, quotidian, 11 a. m.:**

*CACT.*

**Intermittent, fever, quotidian, quotidian, afternoon:**

*Sep.*

**Intermittent, fever, quotidian, anthrax, with on back of neck:**

*Tarent., Sulph.*

**Intermittent, fever, quotidian, double:**

*Apis., Ant-c., Bapt., Bell., Chin., Dulc., Elat., Graph., Led., Stram., Sulph.*

**Intermittent, fever, quotidian, double, at sunrise and five p. m.:**

*Aran.*

**Intermittent, fever, quotidian, hour, at same:**

*CEDR., Cact., Aran., Anac., Ang., Gels., Sabad., Stann., Spig.*

**Intermittent, fever, icterus, with:**

*Elaps.*

**Intermittent, fever, quotidian, marsh, fever:**

*Aran.*

**Intermittent, fever, quotidian, midnight, before:**

*Arund.*

**Intermittent, fever, quotidian, midnight, before pressure and swelling at epigastrium and anxious palpitation :**

*Rhus-t.*

**Intermittent, fever, quotidian, scrofula, profuse saliva with, chronic:**

*CALC.*

**Intermittent, fever, quotidian, scrofulous, children, in, chronic:**

*Calc-p.*

**Intermittent, fever, quotidian, suppressed, became tertian:**

*Elat.*

**Intermittent, fever, regular, at same period every day:**

*CEDR., Chin-s., Chin., Aran.*

**Intermittent, fever, regular, at, same period every day chill, without :**

*Gels.*

**Intermittent, fever, relapsing, fever:**

*Ars., Ust.*

**Intermittent, fever, relapsing, fever, quinine, after:**

*ARS.*

**Intermittent, fever, remittent, apt, to become usually quotidian:**

*Phos.*

**Intermittent, fever, remittent, apt, to become usually quotidian becomes, postponing oftener than antic :**

*Gamb.*

**Intermittent, fever, remittent, apt, to become usually quotidian typhoid apt to become:**

*Phos.*



**Intermittent, fever, remittent, apt, to become usually quotidian typhoid apt, to become restless, during, paroxysm:**

*Ars., Cocc.*

**Intermittent, fever, rheumatism, with:**

*Led.*

**Intermittent, fever, rheumatism, with, rheumatism or gout :**

*Led.*

**Intermittent, fever, right side, commencing on first arm then leg gets cold :**

*Rhus-t.*

**Intermittent, fever, sequelae:**

*Cean., Gels., Carc., Chin.*

**Intermittent, fever, seven, days, . every:**

*Lyc., Ars., Chin.*

**Intermittent, fever, shoulders, pains, n neck and, before and after :**

*Gels.*

**Intermittent, fever, simple, uncomplicated :**

*Gels.*

**Intermittent, fever, skin, hot, dry in reactive stage:**

*Gels.*

**Intermittent, fever, skin, hot, dry, in reactive stage parchments like, dry heat after chill:**

*Ip.*

**Intermittent, fever, sleeping, from, on cold floor:**

*Aran.*

**Intermittent, fever, slowly, comes, on:**

*Stram.*

**Intermittent, fever, soporous:**

*Ant-t.*

**Intermittent, fever, spasmodic, symptoms:**

*Calc.*

**Intermittent, fever, spleen, enlargement, of:**

*CEAN., Aran., Ars., Carb-ac., Chin., Chin-s., Kali-i., Nat-m., Ran-s., Sul-ac.*

**Intermittent, fever, spoiled;**

*SEP., Calc., Ferr., Ip., Tarent., Ars., Nat-m., Nux-v., Sulph.*

**Intermittent, fever, spring, in:**

*Cham., Gels., Sabad.*

**Intermittent, fever, spring, in, after suppression, in summer or fall by quinine :**

*Lach.*

**Intermittent, fever, spring, in every:**

*Lach., Carb-v., Nux-v., Sep., Sulph.*

**Intermittent, fever, spring, in every for several years, annually:**

*Ign.*

**Intermittent, fever, stages, distinct :**

*CHIN., CHIN-S., Petros.*

**Intermittent, fever, stages, distinct, indistinct, adynamic condition:**

*Gels.*

**Intermittent, fever, stages, distinct, severe chill, little shaking then fever:**

*Gels.*

**Intermittent, fever, stiffness:**

*Nat-m., Rhus-t.*

**Intermittent, fever, stomach, derangement, of:**

*CACT.*

**Intermittent, fever, stomach, derangement, of chill begins in, agonizing weight :**

*Calc.*

**Intermittent, fever, summer, in, beginning of:**

*Lach.*

**Intermittent, fever, suppressed:**

*Elat., Spig.*

**Intermittent, fever, suppressed, aching, and soreness, with general weakness:**





*Gels.*

**Intermittent, fever, suppressed, earache, toothache, headache, pain in limbs etc:**

*Puls.*

**Intermittent, fever sweat, without:**

*Rhus-v.*

**Intermittent, fever, swelling, edematous, after :**

*Cahin.*

**Intermittent, fever, tertian, fever:**

*ANT-C., Ant-t., Apis., Ars., Bar-m., Cedr., Cham., Chin-s., Cimx., Chin., Aran., Dig., Hep., Ign., Ip., Lach., Nat-m., Puls.*

**Intermittent, fever, tertian, fever, afternoon:**

*Bapt.*

**Intermittent, fever, tertian, fever, anteponing :**

*Nat-m.*

**Intermittent, fever, tertian, fever, anteponing half an hour:**

*Ip.*

**Intermittent, fever, tertian, fever, bilious fever after :**

*Sulph.*

**Intermittent, fever, tertian, fever, body drawn up in a heap:**

*Lach.*

**Intermittent, fever, tertian, fever, double:**

*Aesc., Ars., Chin., Dulc., Elat., Eucal., Eup-per., Gamb., Lyc., Nux-v., Rhus-t.*

**Intermittent, fever, tertian, fever, evening:**

*Calc.*

**Intermittent, fever, tertian, fever, evening 9 p. m.:**

*Sabad.*

**Intermittent, fever, tertian, fever gout of knee follows with topi and lameness in joints :**

*Nux-v.*

**Intermittent, fever, tertian, fever, had been treated with chinona :**

*Sabad.*

**Intermittent, fever, tertian, fever, morning chill, evening fever :**

*Ferr.*

**Intermittent, fever, tertian, fever, nettle rash, with, disappearing after attack :**

*Rhus-t.*

**Intermittent, fever, tertian, fever, nightly at same hour :**

*Sabad.*

**Intermittent, fever, tertian, fever, profuse vomiting of bilious matter :**

*Ptel.*

**Intermittent, fever, tertian, fever, sometimes morning, sometimes evening:**

*Sep.*

**Intermittent, fever, tertian, fever, stages well marked :**

*Ph-ac.*

**Intermittent, fever, tertian, symptoms of scurvy:**

*Staph.*

**Intermittent, fever, throat, sore, and nausea :**

*Dros.*

**Intermittent, fever, tongue, slimy, coated, yellow :**

*Kali-s.*

**Intermittent, fever, tuberculosis, incipient:**

*Bry.*

**Intermittent, fever, typhoid, tendency, to run into:**

*ARS., Bapt., Mez., Sec., Gels.*

**Intermittent, fever, typhoid, tendency, to run into after :**

*Gels.*

**Intermittent, fever, urethra, traumatic, or chronic inflammation of, even stricture :**

*Petros.*

**Intermittent, fever, vomiting, food :**

*Ferr-p.*

**Intermittent, fever, vomiting, food, acid sour masses:**

*Nat-p.*



**Intermittent, fever, vomiting, food, bilious, agg by damp weather or seashore :**

*Nat-s.*

**Intermittent, fever, water working, in cold :**

*CALC.*

**Intermittent, fever, week, once, a :**

*Am-m., Canth., Chin., Lyc., Meny., Plan.*

**Intermittent, fever, week, once, a four, every:**

*Nux-m., Nux-v., Puls., Sep.*

**Intermittent, fever, week, once, a three every:**

*Chin., Mag-c., Sulph.*

**Intermittent, fever, week, once, a two every :**

*Am-m., Ars., Calc., Chin-s., Chin., Lach., Plan., Puls.*

**Intermittent, fever, whooping, cough, with:**

*Kali-c., Nat-m.*

**Intermittent, fever, winter, in:**

*Nat-m., Ant-t., Polyp-p., Psor.*

**Intermittent, fever, women, nervous, nervous hysterical:**

*Tarent.*

**Intermittent, fever, yearly:**

*Aran., Ars., Carb-v., Lach., Nat-m., Psor., Sulph., Thuj.*

**Intermittent, fever, young, persons, recent cases in:**

*Ip.*

**Irritative, fever:**

*ARS., BRY., LACH., Camph., Carb-v., Chin., Cocc., Gels., Graph., Lyc., Mur-ac., Nat-m., Nux-v., Ph-ac., Podo., Puls., Rhus-t., Sec.*

**Irritative, fever, cerebral, congestion, with, causing convulsions, in children:**

*Verat-v.*

**Irritative, fever, physical, irritation, from dentition, or indigestible foreign bodies in intestines:**

*Cham.*

**Irritative, fever, sharp, with swelling of face, head and hands:**

*Rhus-v.*

**Irritative, fever, slow :**

*ARS., Bry., Camph., Chin., Lyc., Mur-ac., Ph-ac., Phos., Sec.*

**Irritative, fever, ulceration, suppuration, abscess presence of foreign body etc :**

*Gels.*

**Legs, symptoms, with, fever:**

*Eup-per.*

**Legs, symptoms, with , fever, inflammation of left, and foot :**

*Com.*

**Legs, symptoms, with, fever, pains, in:**

*Eup-per., Spong.*

**Legs, symptoms, with fever periostitis of right femur :**

*Phyt.*

**Legs, symptoms, with, fever, tibia extensive gangrenous periostitis of periosteum peeled off from a:**

*Phos.*

**Legs, symptoms, with, fever, thighs cold and numb:**

*Spong.*

**Low, fever:**

*ARS., BAPT., Cact., Crot-h., Mur-ac., Ph-ac., Arn., Carb-ac., Carb-v., Chim., Coca., Eucal., Gels., Lach., Nit-s-d., Pyrog., Rhus-t., Sabin.*

**Low, fever, debility, during, convalescence:**

*COCA.*

**Low, fever, diphtheria, in:**

*ARS., Kali-bi.*

**Low, fever, hot, weather, in, from abuse of ice water or cold drinks:**

*CARB-V.*

**Low, fever, insomnia with:**

*Stram., Coff.*

**Low, fever, moaning, in, intermittent:**

*Ip., Chin.*

**Low, fever, morning, remission, slight each:**

*Lach.*

**Low, fever, pneumonia, in:**



*Seneg.*

**Low, fever, pulse, slow, and accelerated by lifting or turning patient :**

*Gels.*

**Low, fever, typhus, succeeding:**

*Sumb.*

**Malaria, fever:**

ARN., CEDR., CHIN., EUP-PER., PSOR., TER., *Arg-n., Chin-s.*

*Eucal., Ferr., Nat-m., Nat-s., Nux-v., Sulph.*

**Malaria, fever, appetite, loss, of:**

*Nat-s.*

**Malaria, fever, ataxy:**

*Arg-n.*

**Malaria, fever, breath, offensive:**

*Nat-s.*

**Malaria, fever, chronic:**

*Eucal., Polyp-p.*

**Malaria, fever, creeps, and, fever, alternate:**

*Nat-s.*

**Malaria, fever, headache, dull:**

*Nat-s.*

**Malaria, fever, jaundice, with:**

*Nat-s.*

**Malaria, fever, metastasis, of, miasmatic:**

*Bry.*

**Malaria, fever, old, broken-down, cases:**

LYC.

**Malaria, fever, periodicity, marked:**

CHIN.

**Malaria, fever, relapsing, obstinate, Spleen affected early in disease:**

*Eucal.*

**Malaria, fever, scrotum inflammation, and sloughing of, followed :**

*Op.*

**Malaria, fever, weak, and, languid:**

*Nat-s.*

**Marsh, fever:**

ARS., CHIN., IP., NAT-M., *Ang., Asc-t., Rhus-t., Sang., Arn., Carb-v.,*

*Cina., Aran., Ferr., Sin-n., Verat.*

**Marsh, fever, bilious, on, rice plantations:**

*Asc-t.*

**Marsh, fever, marshy, regions, in warm seasons and tropical countries :**

CEDR.

**Nervous, fever:**

ARS., COCC., *Acon., Calc., Camph., Cham., Cocc., Manc.*

**Nervous, fever, insidious, produced , by fits of anger or accompanied by disposition to anger :**

COCC.

**Nervous, fever, limbs, with, pain in:**

BRY.

**Nervous, fever, nausea, with:**

*Ip.*

**Nervous, fever, stupidity:**

Cic.

**Nervous, symptoms, such, as, starting, jerking, etc fever not violent, but nerves are irritated with:**

Coff.

**Pains, from, fever:**

Arn., Ars., Bap., Bell., Bry., Carb-v., Cham., Eup-per., Gels., Pyrog.,

Sec.

**Pains, from, fever, pain, in stomach:**

Ars., Bism., Nux-v., Sec.

**Paroxysmal, fever:**

*Bry., Calc., Chin., Merc., Am-m., Arund., Ars., Camph., Carc.,*

*Cham., Cocc., Eup-per., Hep., Lyc., Nit-ac., Op., Zinc.*

**Paroxysmal, fever, afternoon:**

Agar., Calc., Sil.

**Paroxysmal, fever, afternoon, p, m.:**



Lyc.  
**Paroxysmal, fever, evening:**  
 Calc., Lyc.  
**Paroxysmal, fever, evening, 7, p m.:**  
 Lyc.  
**Paroxysmal, fever, forenoon, 11, a.m.:**  
 Calc.  
**Paroxysmal, fever, morning:**  
 Eup-per., Kali-bi.  
**Paroxysmal, fever, night:**  
 MERC., Kali-bi.  
**Puerperal, fever:**  
 ARS., BELL., BRY., CROT-H., Acon., Arn., Bapt., Calc., Canth.,  
 Carb-v., Colch., Coloc., Hyos., Kali-c., Kreos., Lach., Lyc., Merc.,  
 Mur-ac., Puls., Rhus-t., Sec.  
**Puerperal, fever, chill, follows, sudden, after four days' confinement:**  
 Phyt.  
**Puerperal, fever, chill, follows, sudden, after four days confinement intense fever mingles with and :**  
 Verat-v.  
**Puerperal, fever, chills, alternating, with often recurring, of short duration, followed by profuse sw:**  
 Carb-ac.  
**Puerperal, fever, constant, after miscarriage:**  
 Ust.  
**Puerperal, fever, irritability, with:**  
 Cham.  
**Puerperal, fever, lochia, cessation, of:**  
 Sec.  
**Puerperal, fever, mental, excitement, from :**  
 Coff.  
**Puerperal, fever, milk lack of in breast :**  
 Cham.

**Puerperal, fever, red rash, increased before, seventh day after confinement:**  
 Calc.  
**Puerperal, fever, restlessness, with:**  
 Cham.  
**Puerperal, fever, stools, frequent, watery:**  
 Sec.  
**Puerperal, fever, tympanitis:**  
 LYC., Verat-v.  
**Puerperal, fever, weeks, six, after confinement, hydrogenoid constitution:**  
 Nat-s.  
**Pyemia, childbed, fever with:**  
 Arn.  
**Relapsing, fever:**  
 CALC., FERR., PSOR., SUPH., Tub., Ars., Bapt., Carc., Ip.  
**Relapsing, fever, errors, in, diet from:**  
 Ip.  
**Relapsing, fever, typhus, in:**  
 Bapt., Crot-h.  
**Remittent, fever:**  
 ACON., ARS., BELL., BRY., CHAM., MERC., Ant-t., Apis., Arn.,  
 Bapt., Cocc., Crot-h., Eucal., Eup-per., Gels., Hyos., Ip., Lach., Lyc.,  
 Nat-s., Nux-v., Podo., Rhus-t., Sulph.  
**Remittent, fever, afternoon:**  
 ARS., BELL., GELS., LACH., Bry., Lyc., Chin., Ign., Nux-v.  
**Remittent, fever, autumn, in:**  
 Carb-ac.  
**Remittent, fever, autumn, in and, winter:**  
 Sulph.  
**Remittent, fever, autumn, in, every:**  
 Carb-ac.  
**Remittent, fever, bilious:**  
 Nat-s., Podo.



**Remittent, fever, bilious and, malarial gastric intestinal irritation:**

*Eup-per.*

**Remittent, fever constipation, with:**

*Hydr.*

**Remittent, fever, convalescence, in:**

*Eucal.*

**Remittent, fever, cough, with:**

*Podo.*

**Remittent, fever, dullness, of, mind:**

*Sulph.*

**Remittent, fever, evening:**

*BELL., LYC., RHUS-T., Acon., Bry., Phos., Sulph., Arn., Chin., Lach., Mag-c., Merc., Mur-ac., Nux-v., Ph-ac., Puls.*

**Remittent, fever, evening, exacerbations, with:**

*Sep.*

**Remittent, fever, evening, worse, every other:**

*Verat.*

**Remittent, fever, headache:**

*Polyp-p.*

**Remittent, fever, infantile:**

*ACON., BELL., CHAM., GELS., Bry., Ferr-p., Ip., Mur-ac., Podo., Puls., Rhus-t., Gels.*

**Remittent, fever, infantile, due, to irritation of teething, intestinal troubles, worms or malarial inf:**

*Gels.*

**Remittent, fever, infantile low type:**

*Mur-ac.*

**Remittent, fever, intermittent, type, . taking on, or vice versa:**

*Gels.*

**Remittent, fever, morning:**

*Arn., Rhus-t., Bry., Mag-c., Podo., Sulph.*

**Remittent, fever, night:**

*ARS., MERC., RHUS-T., Phos., Puls., Sulph., Acon., Ant-t., Bapt., Cham., Coff., Lyc., Mag-c., Mag-s., Nux-v., Ph-ac.*

**Remittent, fever, pleurisy, with:**

*Bry., Crot-h.*

**Remittent, fever, redness, of one cheek with paleness, of the other:**

*CHAM., Acon.*

**Remittent, fever, stages, last, diarrhea profuse, sweat, exhaustion:**

*Corn.*

**Remittent, fever, typhoid, fever, prone to become :**

*ARS., BRY., PSOR, RHUS-T., Bapt., Gels., Mur-ac., Ant-t., Carb-ac., Colch., Ph-ac., Phos., Sec., Ter., Tub.*

**Remittent, fever, typhoid, fever, prone to become quinine from the abuse of :**

*ARS., RHUS-T., Ip., Arn., Puls.*

**Rheumatic, fever:**

*AUR., BELL., BRY., CALC-P., CAUST., COLCH., FERR-P., FROM., IOD., KALI-BI., KALM., FROM., IOD., KALI-BI., KALM., LYC., RHUS-, SPIG.*

**Rheumatic, fever, articular, overheated, while violent, after being chilled :**

*Kali-s.*

**Rheumatic, fever, cardiac, complication, severe:**

*Lyc.*

**Rheumatic, fever, cold after catching:**

*Merc.*

**Rheumatic, fever, chilliness:**

*Nat-m.*

**Rheumatic, fever, cold, after catching neuralgic :**

*Puls.*

**Rheumatic, fever, constipation, after :**

*HYDR.*

**Rheumatic, fever, evening, worse, in and forepart of night:**

*Puls.*

**Rheumatic, fever, gastric, complaints, followed by, after taking cold:**



*Cham.*

**Rheumatic, fever, heart, leaves, joints and attacks:**

*Aur.*

**Rheumatic, fever, inflammatory, articular, acute:**

*Sal-ac.*

**Rheumatic, fever, inflammatory, articular, acute follows aching in bones :**

*Verat-v.*

**Rheumatic, liver, pain, in:**

*Card-m.*

**Rheumatic, fever, muscular, especially:**

*Gels.*

**Rheumatic, fever, nerves, and joints with rheumatic and gouty affections of slight :**

*Indg.*

**Rheumatic, fever, pains, changing, places persistently return:**

*Camph.*

**Rheumatic, fever, prevalent, drawing, tearing in limbs worse at night constant change of position, w:**

*Rhus-t.*

**Rheumatic, fever, stomach, with, pain in:**

*Card-m.*

**Rheumatic, fever, sweats, clammy fetid or gout with sour:**

*Fl-ac.*

**Rheumatic, fever, wet, from getting :**

*Nat-s.*

**Scarlet, fever:**

*AIL., AM-C., APIS., BELL., ECHI., LACH., LACH., LYC., MERC., NIT-AC., RHUS-T., TER.*

**Scarlet, fever, anginose:**

*Phyt.*

**Scarlet, fever, ailments, ailments, after :**

*AM-C., AM-M., BELL., CHAM., Bry., Calc., Carb-ac., Carb-v., Hep., Lach., Merc., Sulph.*

**Scarlet, fever, continually, rising :**

*Apis.*

**Scarlet, fever, headache, after :**

*Bry., Merc., Am-c., Bell., Carb-v., Cham., Dulc., Hell., Hep., Lach., Rhus-t.*

**Scarlet, fever, with, delirium and thirst :**

*BELL., Dulc.*

**Scarlet, fever, malignant:**

*AIL.*

**Scarlet, fever, scarlet, scarlet rash:**

*ACON., AM-C., BELL., BRY., Chol., Coff., Ip., Kali-bi., Merc., Phyt.*

**Septic, fever:**

*ANTHR., ARN., ARS., BAPT., BRY., CROT-C., CROT-H., ECHI., KALI-P., LACH., LYC., MUR-AC., PSHOS., PYROG., SULPH., TARENT-C.*

**Septic, fever, intermittent, or typhoid form:**

*Tarent.*

**Spotted, fever:**

*CIMIC., Dig., Eup-per., Sil., Verat.*

**Spotted, fever, beginning, at :**

*Am-c.*

**Spotted, fever, clonic, spasms, with :**

*Cupr-acet.*

**Spotted, fever, typhoid state :**

*Chlor.*

**Thirst, preceded, by, fever, cannot raise head:**

*Eup-per.*

**Tropical, fever:**

*CEDR., PSOR., Chin., Gels., Ter.*

**Tuberculosis, fever, in:**

*Bapt., Chin-ar., Ferr-p.*

**Typhoid, fever:**

*AGAR., APIS., ARN., ARS., ARUM-T., BAPT., BELL., BRY., CALC., CARB-V., CHIN., CHLOR., COLCH., CROT-H., ECHI., FERR., GELS., HYOS., LACH., LYC., MERC-CY., MUR-AC., NIT-AC., OP., PHOS., PH-AC., RHUS-T., STRAM., SULPH., TER., VALER., VERAT., ZINC.*



**Typhoid, fever, abscesses, with multiple:**

*Ars., Hep., Sil.*

**Typhoid, fever, abdomen, fermentation:**

*Lyc., Cham.*

**Typhoid, fever, abdomen, fermentation, tympanitic :**

*CARB-V., CHIN., LYC., TER., VALER., VERAT., Arn., Ars., Bry., Lach., Manc., Mill., Op., Podo., Rhus-t.*

**Typhoid, fever, abdomen, fermentation, tympanitic :**

*ZINC., Verat-v., Zing.*

**Typhoid, fever, abdominal:**

*BRY., COLCH., PHOS., RHUS-T., Ars., Bapt., Lyc., Mur-ac., Nit-ac., Ph-ac., Sec., Sulph., Ter.*

**Typhoid, fever, abdominal, icteric, skin, with:**

*Crot-h., Nat-c., Cham., Chin., Lyc., Merc., Sulph.*

**Typhoid, fever, aborting:**

*Bapt., Pyrog.*

**Typhoid, fever, acute diseases, take on a typhoid form:**

*RHUS-T.*

**Typhoid, fever, afternoon:**

*LACH., PHOS., Ars., Bry., Canth., Gels., Hyos., Nit-ac., Agar., Apis., Chin., Colch., Dig., IP., Lyc. Nux-v., Ph-ac., Puls., Rhus-t., Sulph., Sul-ac., Stram.*

**Typhoid, fever, afternoon, 4 p. m.: to 8 p. m.:**

*Lyc.*

**Typhoid, fever, afternoon, 4 p. m.: to 8 p. m.: till midnight:**

*Stram.*

**Typhoid, fever, afternoon, 5 p. m.:**

*Kali-n., Rhus-t., Sulph.,*

**Typhoid, fever, ailments, since :**

*Bac., Mang., Phos., Psor., Pyrog., Tub.*

**Typhoid, fever, anger, after :s**

*Cham.*

**Typhoid, fever, answer, questions, will not:**

*Lycps.*

**Typhoid, fever, anxiety:**

*CALC., Ars., Kali-c., Spong., Bry., Chin., Rhus-t., Verat.*

**Typhoid, fever, apathy:**

*Arn., Ars., Carb-v., Nit-s-d., Op., Ph-ac., Apis., Chin., Colch., Hell., Hyos., Stram., Verat.*

**Typhoid, fever, arms, cool:**

*Zinc.*

**Typhoid, fever, ataxic:**

*Agar.*

**Typhoid, fever, back, lying, on:**

*Zinc.*

**Typhoid, fever, back, lying, on things flexed on pelvis:**

*Verat-v.*

**Typhoid, fever, bed, sliding, down in:**

*MUR-AC., Ars., Bapt., Bell., Hell., Zinc.*

**Typhoid, fever, bedsores:**

*Ars., Ars., Carb-v., Lach., Sec., Zinc., Bapt., Chin., Mosch., Mur-c., Nux-v., Ph-ac., Pyrog.*

**Typhoid, fever, bilious:**

*Bry., Chel., Lach., Lept., Merc., Caps., Haem., Lyc., Nux-v., Stram.*

**Typhoid, fever, bilious, lies, on right side, painful to lie on left :**

*Stram.*

**Typhoid, fever, blood, reduced, by loss of, or malarious poison:**

*CHIN.*

**Typhoid, fever, alone, seems to be involved:**

*Hell.*

**Typhoid, fever, brain, alone, seems to be involved impending paralysis of :**

*Zinc.*

**Typhoid, fever, breathing, stertorous:**

*Op.*

**Typhoid, fever, bronchitis, epidemic :**

*Chel.*

**Typhoid, fever, bronchial symptoms, dangerous :**



*Ter.*  
**Typhoid, fever, calomel, after :**  
*Nit-ac.*  
**Typhoid, fever, carriers, after inoculation with anti-typhoid serum:**  
*Bapt.*  
**Typhoid, fever, cellulitis, adenitis:**  
*Bell., Chin-s., Merc-i-r.*  
**Typhoid, fever, cerebral:**  
*HYOS., STRAM., Apis., Bapt., Bry., Gels., Lach., Lyc., Op., Phos., Rhus-t.*  
**Typhoid, fever, cerebral, excitement,. Of:**  
*Samb.*  
**Typhoid, fever, cerebral, resulting in paralysis of brain:**  
*Op.*  
**Typhoid, fever, chest, symptoms:**  
*LACH., Ant-t., Carb-v., Phos., Sulph., Bor., Bov., Merc.*  
**Typhoid, fever, chest, symptoms, oppression of, and difficult respiration:**  
*Phos.*  
**Typhoid, fever, children, in:**  
*Gels., Coff.*  
**Typhoid, fever, cholera, in:**  
*Op., Verat.*  
**Typhoid, fever, cholera, in season in:**  
*VERAT.*  
**Typhoid, fever, cold, from taking:**  
*Dulc., Cham.*  
**Typhoid, fever, collapse, in, stage of:**  
*Xan.*  
**Typhoid, fever, congestive:**  
*Bry., Gels., Lach., Arn., Glon., Sang., Verat.*  
**Typhoid, fever, congestive, threatening, cerebral paralysis:**  
*OP., Lach., Lyc., Ph-ac., Phos., Hell., Tarent., Zinc.*  
**Typhoid, fever, congestive, threatening, collapse:**

*Carb-v.*  
**Typhoid, fever, congestive, threatening, collapse paralysis of lungs :**  
*Ant-t., Lyc., Phos., Ars., Carb-v., Mosch., Sulph.*  
**Typhoid, fever, consciousness, lack, of:**  
*Phos.*  
**Typhoid, fever, Constipation, with:**  
*Bry., Hydr., Nux-v., Op.*  
**Typhoid, fever, convalescence, stage, in:**  
*FL-AC., PSOR., Aur-m., Chin., Lyc., Mur-ac., Ph-ac., Anac., Ars-i., Ars-met., Carb-v., Cocc., Hydr., Kali-p., Sulph., Tarax.*  
**Typhoid, fever, convalescence, stage, in retarded:**  
*Hydr.*  
**Typhoid, fever, cough, and, chest symptoms supervening and complicating :**  
*Phos.*  
**Typhoid, fever, cough, and, chest symptoms supervening and complicating and hemoptysis :**  
*Sul-ac.*  
**Typhoid, fever, cries, of pain utters:**  
*Zinc.*  
**Typhoid, fever, cry, inclined, to, with fear:**  
*Acon., Bry., Cocc., Rhus-t., Verat.*  
**Typhoid, fever, deafness:**  
*PHOS., Arn., Bry., Hyos., Nit-s-d., Ph-ac., Sulph., Verat.*  
**Typhoid, fever, delirium:**  
*BAPT., BELL., CALC., HYOS., LACH., STRAM., Bry., Crot-h., Lyc., Op., Rhus-t., Verat., Verat-v., Zinc.*  
**Typhoid, fever, delirium, involuntary, diarrhetic stools:**  
*Ox-ac.*  
**Typhoid, fever, delirium, furious:**  
*BELL., Ars., Canth., Hyos., Op., Stram., Colch., Gels., Lyc., Puls., Rhus-t., Sec., Spong., Zinc.*  
**Typhoid, fever, describe symptoms, cannot though suffering greatly :**





*Ign.*  
**Typhoid, fever, diabetes :**  
*Sul-ac.*

**Typhoid, fever, diarrhea:**  
*CALC., Ars., Bapt., Hyos., Kali-c., Merc., Mur-ac., Phos., Rhus-t., Stram., Sulph., Verat.*

**Typhoid, fever, diarrhea, involuntary:**  
*Arn., Ph-ac., Apis., Ars., Hyos., Mur-ac.*

**Typhoid, fever, diarrhea, last, stage, profuse sweat, physical and mental exhaustion, in:**  
*Corn.*

**Typhoid, fever, diarrhea, rumbling, in bowels :**  
*Ph-ac.*

**Typhoid, fever, diarrhea, stool, like pale yellow ochre :**  
*Kali-m.*

**Typhoid, fever, eat, cannot, fever, eat, cannot, feels weak and miserable:**  
*Glom.*

**Typhoid, fever, ecchymosis, with:**  
*Arn., Ars., Carb-v., Mur-ac.*

**Typhoid, fever, enteric, cerebral, exanthematic, or putrid :**  
*APIS.*

**Typhoid, fever, epidemic:**  
*Chel., Gymn.*

**Typhoid, fever, epigastrium, pulsating :**  
*Puls.*

**Typhoid, fever, eruption, petechial, on abdomen :**  
*ARN., RHUS-T., Apis., Ars., Bell., Calc., Chin-s., Cupr-m., Lyc., Nit-ac.*

**Typhoid, fever, erythema, modosum, during invasion:**  
*Rhus-v.*

**Typhoid, fever, escape, desire, to:**  
*Bell., Hyos., Op., Stram., Bapt., Bry., Nux-v., Zinc.*

**Typhoid, fever, evening :**

*BRY., LYC., PH-AC., PHOS., PULS., RHUS-T., Ars., m., Lach., Mur-ac., Sulph.*

**Typhoid, fever, evening, 7 p. m. to 8 p. m.:**  
*Lyc., Rhus-t.*

**Typhoid, fever, evening, 8 p. m.:**  
*Hep., Mur-ac., Phos., Sulph.*

**Typhoid, fever, evening, 9 p. m. to 12 p. m.:**  
*Bry.*

**Typhoid, fever, evening, 10 p. m.:**  
*Lach.*

**Typhoid, fever, exanthematic:**  
*APIS., BELL., RHUS-T., Ail., Arn., Ars., Arum-t., Bry., Calc., Carb-v., Chlor., Lach., Merc., Mur-ac., Nux-., Ph-ac., Phos., Sec., Stann., Sulph.*

**Typhoid, fever, exanthematic, cold, viscous sweat, with:**  
*Chlor.*

**Typhoid, fever, exertion, after, overheating from, and taking cold, first stage, with sensitiveness to:**  
*Astac.*

**Typhoid, fever, eyes, nightly, agglutination of eyelids injection of conjunctiva of yellow :**  
*Verat-v.*

**Typhoid, fever, face, hot, body cold :**  
*Cham.*

**Typhoid, fever, face, hot body cold Hippocratic, sunken:**  
*Ars., Camph., Carb-v., Colch., Lach., Merc., Mur-ac., Zinc., Phos.*

**Typhoid, fever, face, hot body cold red:**  
*CALC., Bell., Op.*

**Typhoid, fever, fainting:**  
*Cham.*

**Typhoid, fever, fancies, vivid :**  
*Cham.*

**Typhoid, fever, fear, or death :**  
*Ars., Bapt., Acon., Bry., Cocc., Rhus-t., Verat.*



**Typhoid, fever, fluids swallowed eagerly, but with difficulty:**

*Zinc.*

**Typhoid, fever, fear:**

*Bell., Hyos., Stram., Bry., Cham.*

**Typhoid, fever, gastric, symptoms, with:**

*Bry., Hydr., Canth., Merc., Nux-v., Puls.*

**Typhoid, fever, gastric, symptoms, with second stage, during:**

*Merc-d.*

**Typhoid, fever, from:**

*PH-AC., Ign.*

**Typhoid, fever, hands, constant, trembling:**

*Gels., Zinc.*

**Typhoid, fever, head, squeezed, wants:**

*Glom.*

**Typhoid, fever, headache:**

*Glom.*

**Typhoid, fever, hemorrhagic:**

*CROT-H., PHOS., Ham., Lach., Mill., Mur-ac., Nit-ac., Sul-ac., Alum., Alumn., Ars., Bapt., Carb-v., Elaps., Ip., Kreos., Nux-m., Ph-ac., Sec., Ter.*

**Typhoid, fever, hemorrhagic, oozing, of dark thin blood from capillaries:**

*Sul-ac., Crot-h.*

**Typhoid, fever, headache, with:**

*Bry., Bell., Gels., Hyos., Nux-v., Rhus-t.*

**Typhoid, fever, home, wants, to go:**

*Bry.*

**Typhoid, fever, hopeless, feels:**

*Bapt., Psor.*

**Typhoid, fever, hydrocephalus:**

*Art-v.*

**Typhoid, fever, icteroid, marked or scorbutic symptoms:**

*Merc.*

**Typhoid, fever, impatience:**

*Cham., Nux-v., Ign.*

**Typhoid, fever, incipient, with, pains, in head back and limbs:**

*BRY., RHUS-T., Gels.*

**Typhoid, fever, indifference:**

*ARN., Chin., Merc., Ph-ac., Sec., Verat.*

**Typhoid, fever, insomnia, with:**

*Bell., Coff., Gels., Hyos., Op., Rhus-t.*

**Typhoid, fever, intestines, hemorrhages, from:**

*NIT-AC., Arn., Ars., Carb-v., Ham., Merc., Mur-ac., Ph-ac.*

**Typhoid, fever, irritability, with:**

*Bry., Bell., Chin., Cocc., Nux-v., Rhus-t.*

**Typhoid, fever, jactitation, and trembling:**

*Cypr.*

**Typhoid, fever, dropping, of lower :**

*OP., ZINC., Ars., Bapt., Carb-v., Lach., Mur-ac., Ph-ac., Verat-v.*

**Typhoid, fever, jaw, dropping, of lower trembling:**

*Arn.*

**Typhoid, fever, laryngeal affections, with:**

*Apis., Merc.*

**Typhoid, fever, lips, dry, and black :**

*Ars., Bry., Lach., Ph-ac., Rhus-t., Bell., Verat.*

**Typhoid, fever, dry, and black dry and cracked :**

*Arn., Ars., Bry., Mur-ac., Rhus-t.*

**Typhoid, fever, lips, dry, and black sooty:**

*Zinc.*

**Typhoid, fever, loquacity :**

*Lach., Bell., Lachn., Rhus-t., Stram.*

**Typhoid, fever, lungs, abscess, or cancer of , tendency to gangrene:**

*Crot-h.*

**Typhoid, fever, malarial:**

*Ham., Lycps.*



**Typhoid, fever, malarial, violent, pains, particularly in thighs :**

*Tarax.*

**Typhoid, fever, malignant:**

*Lac-d.*

**Typhoid, fever, measles, in:**

*Chlor., Euph.*

**Typhoid, fever, memory, loss, of:**

*ANAC., Arn., Bapt., Hyos., Lach., Merc., Mur-ac., Op., Puls., Verat.*

**Typhoid, fever, midnight :**

*Ars., Rhus-t., Stram., Sulph., Verat., Lyc.*

**Typhoid, fever, midnight, after :**

*ARS., PHOS., RHUS-T., Bry., Chin., Chin-ar., Lyc., Nux-v.*

**Typhoid, fever, midnight, before:**

*BRY., CARB-V., Ars., Calad., Nux-v., Lach., Lyc.*

**Typhoid, fever, mouth, corner, of, drawn on left side :**

*Verat-v.*

**Typhoid, fever, motions, automatic, convulsive, of hands and feet as in hydrocephalus :**

*Zinc.*

**Typhoid, fever, move, inability, to:**

*Ars.*

**Typhoid, fever, muttering:**

*Hyos., Lyc., Rhus-t., Verat-v., Apis., Lach., Ph-ac.*

**Typhoid, fever, nervous, symptoms, with:**

*Bell., Hyos., Agar., Lach., Op., Ph-ac., Phos., Stram.*

**Typhoid, fever, nervous, symptoms, with adynamia, and:**

*Bell., Hyos., Ign., Mur-ac., Stram., Agar., Apis., Ars., Bapt., Bry., Cocc., Colch., Gels., Hell., Lach., Lyc., Ph-ac., Phos., Rhus-t., Sumb., Valer., Zinc.*

**Typhoid, fever, nervous, symptoms, with collapse, and:**

*Ars., Camph., Laur., Carb-v., Mur-ac., Sec., Verat.*

**Typhoid, fever, nervous, symptoms, with continually increase, in third or fourth week:**

*Chlor.*

**Typhoid, fever, nervous, symptoms, with predominate :**

*Bapt., Gels.*

**Typhoid, fever, night:**

*ARS., BAPT., BRY., CARB-V., CHIN., CHIN-AR., LACH., MERC., RHUS-T., SULPH., Bell., Colch., Kali-bi., Mur-ac., Nux-v., Op., Ph-ac., Phos., Puls., Stram.*

**Typhoid, fever, night, temperature, running very high:**

*BELL., Bry., Hyos., Stram., Rhus-t.*

**Typhoid, fever, and jar, worse from least :**

*BELL., Ign.*

**Typhoid, fever, nose, sooty:**

*Zinc.*

**Typhoid, fever, nosebleeds, with:**

*Acon., Arn., Bry., Ham., Ip., Lach., Phos., Ph-ac., Rhus-t., Sec., Sulph., Sul-ac.*

**Typhoid, fever, onset at:**

*BAPT., Bry., Calc., Rhus-t.*

**Typhoid, fever, pains, violent, particularly in thighs:**

*Tarax.*

**Typhoid, fever, parotitis:**

*Bell., Calc., Mang., Merc., Nat-m., Acon.*

**Typhoid, fever, pectoral:**

*BRY., PHOS., Ant-t., Carb-v., Hyos., Lyc., Rhus-t., Sulph., Am-c., Chel., Chin., Kali-bi., Nit-ac., Tub.*

**Typhoid, fever, pemphigus:**

*Crot-h.*

**Typhoid, fever, peritonitis, with:**

*Bell., Ars., Carb-v., Coloc., Merc., Rhus-t., Ter.*

**Typhoid, fever, petechial:**

*CHLOR., MUR-AC., Arn., Ars., Bapt., Carb-v., Chin., Lach., Phos., Rhus-t., Sec.*

**Typhoid, fever, petechial, fetid, stool, intestinal haemorrhage, spoor, so weak that he setting down in:**

*MUR-AC.*



**Typhoid, fever, petechial foul, breath, says there is nothing matter with him:**

*ARN.*

**Typhoid, fever, petechial, putrid, foul cadaverous smell to stool, brown, dry leathery-looking tongue:**

*ARS.*

**Typhoid, fever, phlebitis:**

*Lach.*

**Typhoid, fever, picking, at bedclothes :**

*HYOS., Op., Stram., Verat-v., Zinc., Arn., Ars., Colch., Lyc., Ph-ac., Psor., Sulph.*

**Typhoid, fever, pneumonia:**

*ANT-T., BRY., LYC., PHOS., SULPH., TER., Bad., Benz-ac., Hyos., Laur., Nit-ac., Rhus-t., Sang.*

**Typhoid, fever, pneumonia, bronchial, symptoms:**

*Ant-t., Bry., Phos., Sang., Ars., Bell., Hyos., Ip., Lach., Puls., Rhus-t., Sulph., Ter.*

**Typhoid, fever, psoric, individuals, . in:**

*Sulph.*

**Typhoid, fever, pupils, fixed, do react to light :**

*Zinc.*

**Typhoid, fever, refuses, things:**

*Nit-s-d., Bell.*

**Typhoid, fever, remedy, well, selected, has no effect :**

*Sulph.*

**Typhoid, fever, remittent:**

*Stram.*

**Typhoid, fever, repeated, over, and over in a singing tone any question put to him until interrupted by :**

*Zinc.*

**Typhoid, fever, restless, wants, to go from one bed into another :**

*ARS., Calc., Cina., Cham., Rhus-t., Bell., Hyos., Mez., Sep., Verat.*

**Typhoid, fever, putrescent :**

*Ars., Mur-ac.*

**Typhoid, fever, scarlatina, in :**

*Ars., Arum-t., Chlor., Apis.*

**Typhoid, fever, sequel, cries, a great deal, particularly when alone :**

*Manc.*

**Typhoid, fever, sequel, constant, desire for some dishes, particularly indigestible things, puddings :**

*Manc.*

**Typhoid, fever, sequel, debility, of spine fears he will be paralyzed :**

*Sel.*

**Typhoid, fever, sequel, diminished, appetite :**

*Psor.*

**Typhoid, fever, sequel, eating, very little makes her immediately very full :**

*Manc.*

**Typhoid, fever, sequel, fear, of going crazy :**

*Manc.*

**Typhoid, fever, sequel, feels, light, as though she could float or hover in air, in nervous affection :**

*Manc.*

**Typhoid, fever, sequel, hoarseness :**

*Phos., Spong.*

**Typhoid, fever, sequel, legs, feel weak, with fear of paralysis, also nervous debility :**

*Sel.*

**Typhoid, fever, sequel, mental dejection and apathy :**

*Hell.*

**Typhoid, fever, sequel, nervous, deafness :**

*Phos., Ph-ac.*

**Typhoid, fever, sequel, paralysis :**

*RHUS-T., Cupr-m., Phos.*

**Typhoid, fever, sequel, progressive emaciation, with cough :**

*Myos.*

**Typhoid, fever, sequel, raw, sensation down throat :**



*Manc.*

**Typhoid, fever, sequel, sweat:**

*Psor.*

**Typhoid, fever, sequel, weakness:**

*Chin., Fl-ac., Sil., Coca., Mur-ac., Ph-ac., Psor.*

**Typhoid, fever, shipboard, from confinement on, without good care or food :**

*Bapt.*

**Typhoid, fever, silent, taciturn, averse to talking:**

*PH-AC., Arn., Ars., Bell., Bry., Chin., Cocc., Hyos., Merc., nit-s-d., Nux-v., Op, Rhus-t., Verat.*

**Typhoid, fever, singing:**

*Stram., Ars., Bell., Hyos., Lyc., Mur-ac.*

**Typhoid, fever, sleepless:**

*Bell., Op., Cham., Merc., Mur-ac.*

**Typhoid, fever, slow, protracted, cases:**

*ARS.*

**Typhoid, fever, spoor:**

*Arn., Ars., Cocc., Lyc., Op., Phos., Rhus-t., Lach.*

**Typhoid, fever, sounds, utters, inarticulate:**

*Zinc.*

**Typhoid, fever, spasmodic, symptoms:**

*Cham.*

**Typhoid, fever, spine, irritated, in beginning:**

*Valer.*

**Typhoid, fever, soreness, muscular, with:**

*Arn., Bapt., Bry., Gels.*

**Typhoid, fever, stage, early:**

*Nux-v., Puls.*

**Typhoid, fever, early, first, when patient seems to have taken cold sudden onset :**

*Gels.*

**Typhoid, fever, stage, early, symptoms like early:**

*Hippo.*

**Typhoid, fever, staring:**

*Hyos., Op., Ph-ac., Zinc., Bell., Hell., Sec.*

**Typhoid, fever, stupid, from:**

*BAPT., CARB-V., HELL., HYOS., MUR-AC., OP., PH-AC., Arn., Ars., Bry., Chin., Crot-h., Gels., Lach., Phos., Rhus-t., Stram.*

**Typhoid, fever, stupor complete :**

*HELL., HYOS., OP., Lyc., Stram.*

**Typhoid, fever, subsultus:**

*CALC., Zinc.*

**Typhoid, fever, subsultus, galvanic, shocks like:**

*Verat-v.*

**Typhoid, fever, sweat, clammy covers arms, cold:**

*Zinc.*

**Typhoid, fever, sweat, one-sided :**

*Nux-v.*

**Typhoid, fever, swung, as if to and fro in a swing or cradle:**

*Ign.*

**Typhoid, fever, symptoms, similar, to:**

*Iris., Bapt.*

**Typhoid, fever, teeth, champing :**

*Verat-v.*

**Typhoid, fever, temperature, nearly, normal :**

*Hell.*

**Typhoid, fever, toxemia, with:**

*Ars., Bapt., Mur-ac., Pyrog., Rhus-t.*

**Typhoid, fever, thirstless:**

*Apis., Arn., Gels.*

**Typhoid, fever, trembling, of, limbs:**

*Lach.*

**Typhoid, fever, twitching:**

*Cham.*

**Typhoid, fever, tympanites, with:**

*Ars., Asaf., Carb-v., Ph-ac., Ter., Bapt., Chin., Cocc., Colch., Lyc., Mill., Mur-ac., Nux-m., Rhus-t.*

**Typhoid, fever, typhus, abdominalis:**

*Plb.*



**Typhoid, fever, typhus, abdominalis swelled parotid and sensitive bones :**

*Mang.*

**Typhoid, fever, unconscious:**

*Arn., Bell., Hell., Hyos., Rhus-t., Stram., Zinc., Ars., Canth., Colch., Lach., Lyc., Merc., Mur-ac., Phos.*

**Typhoid, fever, ulcer, corneal, with:**

*Apis., Ip.*

**Typhoid, fever, urination, involuntary:**

*Arn., Ars., Bell., Hyos., Lyc., Op., Phos., Rhus-t., Stram., Verat., Verat-v., Zinc.*

**Typhoid, fever, urination, involuntary, profuse, with:**

*Ph-ac., Gels., Mur-ac.*

**Typhoid, fever, urination, involuntary, scanty and painful:**

*Canth., Apis., Ars.*

**Typhoid, fever, urine, albuminous :**

*Calc-ar., Ph-ac., Rhus-t.*

**Typhoid, fever, urine albuminous, dark:**

*Carb-v., Merc., Nux-v., Verat-v.*

**Typhoid, fever, urine, albuminous, fetid:**

*Ars., Carb-v., Apis., Bapt., Phos., Sulph., Verat-v.*

**Typhoid, fever, urine, albuminous, turbid :**

*Ars., Carb-v., Phos., Verat-v.*

**Typhoid, fever, variola, in:**

*Chlor.*

**Typhoid, fever, visions:**

*Bell., Calc., Hyos., Mur-ac., Stram., Carb-v., Chin., Puls.*

**Typhoid, fever, visions, eyes, when closing:**

*Calc., Ars., Carb-v., Samb.*

**Typhoid, fever, vomiting, after, diarrhea and coldness have ceased :**

*Hyos.*

**Typhoid, fever, weakness:**

*OP., Arn., Ars., Bapt., Bry., Nuph., Ph-ac., Rhus-t., Cupr-m., Hydr., Merc.*

**Typhoid, fever, week, second:**

*Calc.*

**Typhoid, fever, week second fifth:**

*Lach.*

**Typhoid, fever, women, in, and young people :**

*Ign.*

**Vaccination, fever, after :**

*SIL., Thuj., Acon., Ant-c., Apis., Bapt., Bell.*

**Vertigo, commencing, with, ephemeral, fever:**

*Verat-v.*

**Vertigo, commencing, with high, fever, with dizziness:**

*Kali-c.*

**Weakness, during, fever:**

*ARS., MUR-AC., PH-AC., PHOS., Anthr., Apis., Bapt., Bry., Eup-per., Ign., Puls., Rob., Rhus-t.*

**Weakness, during, fever, after :**

*Apis., Aran., Gent-i., Med., Morph., Sal-ac., Sulph., Syp.*

**Weakness, during, fever, anthrax, in:**

*Tarent.*

**Weakness, during, fever, diarrhea, in:**

*Sulph.*

**Weakness, during, fever, ephemeral, fever:**

*Verat-v.*

**Weakness, during, fever, following, prolonged fever:**

*SEL., Colch., Psor.*

**Weakness, during, fever, inebriety, bilious or remittent, from:**

*Eup-per.*

**Weakness, during, fever, languor, muscular weakness, desire for absolute rest and drowsiness:**

*Gels.*

**Weakness, during, fever, weariness, extreme:**

*Coca.*

**Yellow, fever:**



ARS., CADM-S., CANTH., CARB-V., CROT-H., ACH., *Acon., Ant-t., Arg-n., Ars-h., Bell., Bry., Camph., Caps., All-c., Chin., Cupr-m., Gels., Glon., Job., Nat-s., Nux-v., Phos., Psor., Rhus-t., Sulph., Ter., Verat-v., Phos., Rhus-t., Sulph., Ter., Verat.*

**Yellow, fever, anxiety, about, heart :**  
LACH.

**Yellow, fever, awaking, worse, on:**  
LACH.

**Yellow, fever, bilious, remittent, assuming form of:**  
*Nat-s.*

**Yellow, fever, belching, sour, with:**  
LACH.

**Yellow, fever, bleed, much, small wounds :**  
LACH.

**Yellow, fever, blood, dark, non-coagulable:**  
LACH.

**Yellow, fever, conjunctiva, yellow:**  
LACH., *Crot-h.*

**Yellow, fever, delirium:**  
*Crot-h.*

**Yellow, fever, delirium, night:**  
LACH.

**Yellow, fever, drowsy:**  
LACH.

**Yellow, fever, drugging, after or in persons accustomed to strong liquor:**  
*Nux-v.*

**Yellow, fever, dyspnea :**  
LACH., *Cadm-s.*

**Yellow, fever, epigastrium, sensitiveness, to pressure about, and neck:**  
LACH.

**Yellow, fever, gastro-hepatic, type, with thin blackish or yellowish diarrhea:**  
*Verat., Cadm-s.*

**Yellow, fever, head, of blood to, red face, fainting :**  
LACH.

**Yellow, fever, heartburn:**  
LACH., *Cadm-s.*

**Yellow, fever, heat, sudden, flushes of:**  
LACH.

**Yellow, fever, hemorrhagic, petechial, spots and hemorrhages at an early stage:**  
*Crot-h., Ip., Phos.*

**Yellow, fever, left, side, cannot lie on:**  
LACH., *Phos.*

**Yellow, fever, loquacious :**  
LACH.

**Yellow, fever, meningeal, inflammation, threatening, especially in children :**  
*Cor-r.*

**Yellow, fever, nausea, after drinking:**  
LACH., *Ip., Cadm-s.*

**Yellow, fever, nourishment better, after :**  
LACH.

**Yellow, fever, pregnancy, during:**  
*Plat.*

**Yellow, fever, pulse, irregular weak:**  
LACH., *Crot-h.*

**Yellow, fever, quarrel, disposed, to :**  
LACH.

**Yellow, fever, convalescence:**  
*Calc.*

**Yellow, fever, skin, yellow:**  
LACH., *Cadm-s.*

**Yellow, fever, skin yellow purplish:**  
LACH.

**Yellow, fever, slow difficult speech:**  
LACH.

**Yellow, fever, stage first :**



*Acon., Bell., Bry., Ip., Lach., Arn., Puls.*

**Yellow, fever, stage, first, first, as an intercurrent when bones ache as if broken, headache backache:**

*Eup-per.*

**Yellow, fever, stage, first second :**

*Ant-t., Arg-n., Ars., Crot-h., Ip., Rhus-t., Acon., Ant-c., Bell., Bry., Hyos., Merc-c., Sin-n.*

**Yellow, fever, stage, first third :**

*CARB-V., LACH., SUL-AC., Ars., Cadm-s., Carb-ac., Crot-h., Merc., Nit-ac., Phos., Ph-ac., Sulph., Verat.*

**Yellow, fever, stage, first, third hemorrhages, with great paleness of face :**

*CARB-V.*

**Yellow, fever, stomach, weak:**

*Ip., Phos.*

**Yellow, fever, stomach, weak, third craves raw onions:**

*All-c.*

**Yellow, fever, sweat, is, checked from exposure to a draft of air, when:**

*Cadm.*

**Yellow, fever, sweat, is, checked from exposure to a draft of air when stains yellow :**

*LACH.*

**Yellow, fever, tip, of tongue red, center brown:**

*LACH.*

**Yellow, fever, trembling all, over :**

*LACH.*

**Yellow, fever, trembling, all, over trembling tongue heavy dry and red cracked tip:**

*LACH., Crot-h.*

**Yellow, fever, vomiting, with, palpitations:**

*LACH., Ip.*

**Yellow, fever, weakness, intense, nervous :**

*Plat.*

**Zymotic, fever:**

*ARN., ARS., BAPT., BRY., CARBN-S., CROT-H., ECHI., KALI-P., LACH., LYC., MUR-AC., PYROG., RHUS-T., SULPH.*

### **FEVER(SIMPLE CONTINUED FEVER) :[FOOD] :**

**Appetite, increased, hunger fever, during:**

*PHOS., Chin., Cina., Cur., Eup-pur., Hell.*

**Appetite, increased, hunger, fever, during after :**

*Cimx., Cina., Dulc., Eup-per., Ign., Staph.*

**Beer, desires, fever, during :**

*Acon., Nux-v., Puls.*

**Beer, desires, fever, during, after :**

*Puls.*

**Brandy, desires, fever, during:**

*Ail.*

**Cold, drinks, water, desires, fever, during:**

*Bry., Phos., Tub.*

**Loathing, of, food intermittent, fever during :**

*Kali-c.*

**Thirst, aversions, drinks, fever, . during:**

*Con.*

**Thirst, extreme, fever with:**

*Alum., Phos.*

**Thirst, fever:**

*ACON., ARS., BELL., BRY., EUP-PER., NAT-M., NUX-V.*

**Thirst, fever, during, after :**

*Chin., Anac., Am-m., Cact., Coff., Cycl., Malar., Nux-v., Puls., Pyrog., Sep., Stann., Stram., Tub.*

**Thirst, fever, stages, during, all:**

*Acon., Bry., Eup-per., Nat-m.*

**Thirstless, general, fever during :**

*APIS., CINA., GELS., SEP., SABAD., Aeth., Alum., Ant-c., Ant-t., Calc., Caps., Carb-v., Caust., Cimx., Dros., Ferr., Ign., Ip., Kali-c., Led., Mur-ac., Nit-ac., Nux-m., Ph-ac., Puls., Samb., Sulph.*

**Warm, drinks, desires, fever during :**

*Casc., Eup-per., Lyc., Ars., Cedr.*





**FEVER(SIMPLE CONTINUED FEVER) :[GENERALITIES]:**

Cold (body temperature), affected, parts, of, one-sided other side hot in septic fevers:

*Meny., Puls., Rhus-t.*

Cold, (body temperature), low, vital, heat, typo-malarial fever twentieth day:

*Ham.*

Lightness, sensation, air, as, though she could float or hover in, typhoid fever :

*Manc.*

Sore, pain, fever, during:

*Androc.*

Convulsive, paroxysmal, fever during:

*CALC., RHUS-T., SABAD., Ars., Bor., Calc-p., Nux-v.*

Strumming, sensation, in intermittent, fever :

*Ign.*

Temperature, body, decreased, typo-malarial fever, in:

*Ham.*

Temperature, body, increased, 104, and over remittent fever , in:

*Hyos.*

Temperature, body, increased, 105, 105, septic fever, in:

*Sal-ac.*

Weakness, fever, during:

*ARS., GELS., PHOS., Anthr., Apis., Bapt., Bry., Eup-per., Ign., Mur-ac., Nat-m., Ph-ac., Puls., Rob., Rhus-t.*

Weakness, fever, during, after:

*Apis., Aran., Carc., Chin., Gels., Gent-l., Med., Morph., Sal-ac., Sulph., Syph.*

Weakness, fever, during following prolonged fever :

*SEL., Colch., Psor.*

Weakness, fever, during , inebriety bilious or remittent from:

*Eup-per.*

**FEVER (SIMPLE CONTINUED FEVER) :[GLANDS]:**

Spleen, general, general, enlarged chronic, intermittent fever, in:

*Cean.*

Spleen, general, enlarged edema, with intermittent fever in:

*CHIN-S., Ars.*

Spleen, general, enlarged , fever , quotidian, in:

*Rhus-t*

Spleen, general, enlarged, typhoid, fever, in:

*Apis., Cocc., Ph-ac.*

Spleen, general, enlarged, painful, intermittent fever, in:

*Caps.*

Spleen, general, enlarged, yellow, fever, after :

*Nit-ac.*

Spleen, general, general, induration, intermittent, fever, in:

*CHIN.*

Spleen, general, induration, miasmatic, fever, in:

*Eucal.*

Spleen, general, pain, spleen, fever, during :

*CARB-V., Nat-m., Anac., Ars., Bor.*

Spleen, general, sensitive, intermittent, fever, in:

*CHIN.*

Spleen, general, sensitive, intermittent, fever, in pressure, agg.:

*Arn., Ferr-m., Lach.*

Spleen, general, sensitive, miasmatic, fever, in:

*Chin., Eucal.*

Spleen, general, sensitive, typhoid, fever in:

*RHUS-T., Bapt.*

Spleen, general, sharp, pain intermittent fever with splenitis:

*Arn.*

Spleen, general, sore, pain, touch to, in quotidian fever :

*Ars.*



Spleen, general, sore, pain touch to, in quotidian fever typhoid fever in:

*Phos.*

Spleen, general, swelling fever, during :

*Carb-v., Nat-m.*

Spleen, general, tension, fever, during :

*Ars.*

Spleen, general, weak, spleen, fever, after :

*Ars., Cean., Chin., Chin-s.*

Swelling, scarlet, with :

*BELL., Lyc., Merc., Merc-i-r.*

Swelling, scarlet, fever, with after :

*Lac-c.*

#### **FEVER (SIMPLE CONTINUED FEVER):[HANDS] :**

Burning, pain, fever, during:

*Hura.*

Coldness, hands, during:

*Arn., Asaf. Canth., Cycl., Dros., Euphr., Hell., Ip., Nit-ac., Puls., Ran-b., Sabad., Sul-ac.*

Coldness, fingers, tips, fever, during:

*Caps.*

Fullness, sensation, fullness, veins, of hand fever during:

*Led., Chin., Hyos., Meny.*

Heat, sensation, fever, during:

*Zinc.*

Jerking, jerking, fingers, gastric, fever:

*Stram.*

Nails, fingers, pains, nails under intermittent fever, in :

*Eup-per.*

Numbness, numbness, fingers fever, during :

*Thuj.*

Numbness, numbness, fingers, fever, during before an attack of intermittent :

*Puls.*

Extending, to, shoulder, uncovering, during fever from:

*Nux-v., Stram.*

Weak, hands, night, after, fever :

*Nat-s.*

#### **FEVER (SIMPLE CONTINUED FEVER):[HEAD] :**

Coldness, sensation, coldness, forehead, fever, during:

*Chin., Puls., Zinc.*

Coldness, sensation, coldness, forehead, fever, during heat, with external:

*Agar.*

Enlarged, sensation, fever, with, intermittent:

*Cimic.*

Fullness, sensation, fever, during:

*GLON., Lach.*

Heaviness, sensation, fever, during, the :

*Calc., Dig., Sep., Thuj.*

Perspiration, scalp, perspiration, forehead, fever, during:

*VERAT., Ant-t., Dig., Ip., Mag-s., Sars., Staph.*

Pulsating, sensation, fever, during, the:

*Bell., Eup-per.*

Pulsating, temples, fever, during:

*Glou.*

#### **FEVER (SIMPLE CONTINUED FEVER) :[HEADACHE] :**

Bursting, fever, with:

*Aesc., Bell.*

Fever, with:

*APIS., ARN., BELL., BRY., CHIN., EUP-PER., LAC-AC., NAT-M., SIL., Ang., Ars., Carbn-s., Cocc., Ferr-p., Ign., Lach., Nux-v., Op., Podo., Polyp-p., Puls., Rhus-t.*

Fever, with, after, the, fever:

*EUP-PER., NAT-M., Ars., Carb-v., Calc., Sil.*

Fever, with, after, the, fever languor and nausea, with:

*Cob.*



**Fever, with, before, the, fever:**

*Chin., Bry., Puls., Rhus-t., Sil., Spong.*

**Fever, with, bilious:**

*Polyp-p.*

**Fever, with, chilliness, following:**

*Ammc.*

**Fever, with, ephemeral:**

*Verat-v.*

**Fever, with, flushes, of, heat and headaches :**

*LAC-AC.*

**Fever, with, frontal, dull:**

*Polyp-p.*

**Fever, with, frontal, dull, throbbing and thirst lasts till 8 p. m.:**

*Ip.*

**Fever, with, neck, extending, to:**

*Med.*

**Fever, with, occipital:**

*Coca.*

**Fever, with, pressure, on, top, on moving :**

*Lyss.*

**Fever, with, right-sided, ten, a. m. :**

*Nat-m.*

**Fever, with, sets, in, with headache:**

*Bapt.*

**Fever, with, shooting, pressive, through temples and nasal sinuses :**

*Gels.*

**Fever, with, sick, headache, in, high :**

*BELL., Sulph.*

**Fever, with, stroke, in:**

*Crot-h.*

**Fever, with, throbbing:**

*Bell., Cann-s.*

**Fever, with, throbbing, worse, as fever is better :**

*Sulph.*

**Fever, with, headache, with, 1 to 4 p. m.:**

*Lac-ac.*

**Occiput, fever, during:**

*NUX-V., Verat-v.*

**Pressing, fever, during :**

*Ruta., Sep.*

**Pressing, hay-fever, with:**

*Sabad.*

**Pressing, forehead, fever during:**

*Ars., Glon., Thuj.*

**Pressing, occiput, fever, during :**

*Rhus-t.*

**Pressing, temples, fever:**

*Sep.*

**Sharp, pain, fever, during, the:**

*Nux-v., Asaf., Gels., Puls.*

**Tearing, pain, fever, during, the :**

*Puls.*

**Tearing, pain, forehead, fever, during:**

*Ars.*

**Tearing, pain, occiput, fever, during:**

*Puls.*

**Throbbing, fever, during, the:**

*Bell., Eup-per.*

**Throbbing, temples, fever, during:**

*Glon.*

**Vertex, headache, fever, during:**

*Graph.*

**FEVER (SIMPLE CONTINUED FEVER) :[HEARING] :**

**Acute, hearing, fever, during :**

*CAPS., CON., Acon., Bell., Calc., Ip., Lyc., Nux-q v.*

**Acute, hearing, typhoid, fever , . in:**

*Lyc.*



Deafness, general, fever, in, catarrhal:

*Euph.*

Deafness, general, fever, in, catarrhal febris nervosa stupida :

*Meli.*

Deafness, general, fever, in, catarrhal intermittent fever, after suppression of by quinine :

*Calc.*

Deafness, general, fever, in, catarrhal typhus, in:

*BELL., Apis., Arg-n., Ars., Chlor., Nit-ac., Nit-ac., Nux-m., Dig.*

Deafness, general, fever, in, catarrhal typhus , in after :

*Arn.*

Deafness, general, fever, in, catarrhal yellow fever, in:

*Verat.*

Deafness, general, scarlet, fever, after :

*LYC.*

Dull, hearing, catarrhal fever, in:

*Dulc.*

Impaired, hearing, fever, during:

*Rhus-t.*

Impaired, hearing, scarlet fever, after :

*CARB-V., LYC., SULPH., Crot-h., Graph., Hep., Lach., Nita-c., Puls., Sil.*

Noises, buzzing, intermittent, fever, in:

*Ars.*

Noises, buzzing, puerperal, fever, in:

*Cimic.*

Noises, fever, during:

*Tub., Lach.*

Noises, humming fever, during :

*Ars., Nux-v.*

Noises, ringing, typhoid, fever, in:

*Cocc.*

Noises, roaring, fever during :

*Ars., Nux-v., Lach.*

Noises, roaring, typhoid, fever, in:

*Cocc., Lyc.*

Noises, singing, intermittent, fever, in:

*Ars.*

Sensitive, to, sounds, intermittent, fever, in:

*Caps.*

Tinnitus, hectic, hectic, fever, in:

*Phos.*

Tinnitus, yellow, fever, in:

*Sulph.*

**FEVER (SIMPLE CONTINUED FEVER) :[HEART] :**

Anguish, paroxysms, of, about, with dyspnea and febrile excitement:

*KALM.*

Lancinating, pain, fever, with:

*Cact.*

Palpitations, fever, during:

*ARS., CALC., NIT-AC., PULS., Acon., Cocc., Sars., Sep., Aesc., Bar-c., Crot-h., Merc., Phos., Sulph.*

Sensitive, painful, in, typhoid, fever:

*Merc.*

Sensitive, painful, in, typhoid, fever pulls clothing away from chest :

*Lach., Tarent.*

Sensitive, painful, in, typhoid, fever tenderness:

*Lycps., Zinc.*

Sensitive, painful, in, typhoid, fever tenderness pressure, on:

*Asc-t.*

Sensitive, painful, in, typhoid, fever touch, to, painful, pain going over whole abdomen :

*Ferr.*

Valvular, heart, disease, mitral, valve insufficiency rheumatic fever with chronic, pain worse by morning :

*Sulph.*



**FEVER (SIMPLE CONTINUED FEVER) :[HIPS] :**

Bruised, pain (Beaten, as, if) fever in typho-malarial twentieth day:

*Laur.*

**FEVER (SIMPLE CONTINUED FEVER) :[INTESTINES] :**

Bleeding, hemorrhage, from, bilious, fever in:

*Chel.*

Bleeding, hemorrhage, from, yellow, fever, in:

CANTH., LACH.

Cramping, pain, fever, during:

*Caps., Carb-v., Elat., Rhus-t., Rob.*

Inflammation, intestines, fever with high :

*Verat-v., Pyrog.*

Inflammation, intestines, worm, fever, with:

*Merc.*

Ulcers, chronic, with, liver, disorder vomiting of ingesta ,  
hectic fever and emaciation:

*Kali-bi.*

Ulcers, diarrhea, causes, chronic, hectic fever with:

*Phos.*

Ulcers, remittent, fever, in, infantile:

*Mur-ac.*

Ulcers, typhoid, fever, in:

*NIT-AC., Bapt., Ter., Agar.*

**FEVER(SIMPLE CONTINUED FEVER) :[JOINTS] :**

Gnawing, pain, fever, and, great debility , with:

*Indg.*

Lameness, joints, fever, during:

*Rhus-t., Tub.*

Rheumatic, fever:

AUR., BELL., BRY., CALC-P., CAUST., COLCH., FERR-P., FORM.,  
IOD., KALI-BI., KALM., LYC.,  
RHUS-T., SPIG.

Rheumatism, fever, with, slight, and great debility:

*Indg.*

Sharp, pain, fever, during:

*RHUS-T., Hell., Merc., Sil., Thuj.*

Stitches, fever, with :

*Hell.*

Tearing, pain, fever, during:

*RHUS-T., Calc., Hell., Sulph., Tub., Caust., Lyc., Merc., Ph-ac., Phos.*

Tearing, pain, fever, during, in limbs not on:

*Nux-v.*

**FEVER (SIMPLE CONTINUED FEVER) :[KIDNEYS] :**

Cutting, pain, yellow, fever, in:

*Cadm-s.*

Nephritis, infection, scarlet fever from:

*NAT-S., Apis., Ars., Canth., Colch., Hell., Hep., Merc-c., Rhus-t.,  
Ter.*

Nephritis, infection, scarlet , fever, from anasarca and edema  
of lungs, with:

*Dig.*

Pain, kidneys, fever, in, apyrexia of intermittent :

*Nat-m.*

Pain, kidneys, urinate, with, desire to yellow fever in:

*Ars-h.*

Sore, pain, constant, from, right kidney into back and  
around into liver after typhoid fever :

*Merc.*

Suppression, of, urine, kidney, fever with :

*Arn., Ars., Bell., Cact., Canth., Hyos., Op., Plb., Sec., Stram., Colch.,  
Crot-h.*

**FEVER (SIMPLE CONTINUED FEVER) :[KNEES] :**

Perspiration, fever, after :

*Plb.*

Sprained, pain, as, if, fever during:



Lach.

**FEVER (SIMPLE CONTINUED FEVER) :[LARYNX] :**

**Dryness, of, fever, during :**

*Ars., Petr., Hep., Nux-v., Phos.*

**Irritation, fever, during:**

*Hep.*

**Pain, larynx, fever, during:**

*NUX-V., PULS., Iod., Phos., Bell., Hep., Mosch.*

**Tickling, in, larynx, fever, during:**

*Cimx.*

**Voice, hoarseness, voice, fever, fever, during:**

*Hep., Puls., Sep., Sulph.*

**Voice, hoarseness, voice, hay, fever, in:**

*All-c., Carb-v. Ran-b.*

**Voice, weak, voice, fever, during:**

*Hep.*

**FEVER (SIMPLE CONTINUED FEVER) :[LEGS] :**

**Aching, pain, fever, during:**

*GELS., RHUS-T., Merc., Puls., Pyrog.*

**Aching, pain, aching, lower, fever during:**

*RHUS-T., TUB., Eup-per., Pyrog., Merc., Puls.*

**Aching, pain, aching, thighs, fever during:**

*TUB., Ip., Pyrog.*

**Coldness, coldness, lower, fever, during :**

*STRAM., Eup-pur., Carb-an., Meph., Sep.*

**Drawing, pain, fever, with:**

*Kali-n.*

**Fullness, veins, of, legs, fullness, lower legs fever during:**

*CHIN-S.*

**Lameness, legs, fever, during:**

*Rhus-t., Tub.*

**Numbness, sensation, numbness, thighs fever, during:**

*Spong.*

**Pain, lower, fever, with:**

*RHUS-T., Puls., Spong., Ran-s.*

**Restlessness, legs, restlessness, lower, fever, during:**

*CALC., RHUS-T., SABAD., Bell., Bor., Sep., Sulph., Zinc.*

**Swelling, dropsical, scarlet, fever, . after :**

*APIS., Hell., Bar-m., Crot-h.*

**Weak, legs, fever, catarrhal, during :**

*Sep.*

**FEVER (SIMPLE CONTINUED FEVER) :LIMBS] :**

**Aching, pain, fever, during:**

*Pyrog., Rhus-t., Tub., Puls.*

**Coldness, fever, during:**

*STRAM., Carb-an., Kali-ar., Sep.*

**Heaviness, sensation, tired, fever, during:**

*CALC., GELS., NUX-V., RHUS-T., Sulph.*

**Numbness, fever, during:**

*LYC., Nux-v., Puls., Apis., Carb-v., Cocc., Kali-c., Nat-m., Rhus-t.*

**Pain, limbs, fever, during:**

*BRY., EUP-PER., GELS., NUX-V., Arn., Calc., Chin., Ferr., Merc., Phos., Pyrog., Rhod., Rhus-t.*

**Paralysis, sensation, of, fever, after :**

*Sil.*

**Sharp, pain, fever, during:**

*RHUS-T., Dulc., Psor., Sulph.*

**Sore, pain, bruised during:**

*CHIN., Nat-m., Nux-v., Rhod., Tub., Arn., Ars., Bell., Phos.*

**Tearing, pain, fever, during :**

*CALC., CARB-V., CHIN., LYC., TUB., Dulc., Ferr., Kali-c., Nux-v., Puls., Rhus-t., Sep., Sil., Sulph.*

**Trembling, of, fever, during:**

*Zinc.*

**Twitching, of, fever, during:**

*All-s.*

**Weak, limbs, during:**



Bell.

**FEVER (SIMPLE CONTINUED FEVER) : [LIVER] :**

**Atrophy, of typhus fever, with albuminuria:**

*Calc-ar.*

**Bilious, liver, fever, bilious:**

*Lept.*

**Bilious, liver, fever, bilious, derangement partaking of malarial character :**

*Eup-per.*

**Burning, pain, yellow, fever, in:**

*Ars.*

**Burning, pain, yellow, fever, in:**

*Ars.*

**Enlarged, intermittent, fever, in:**

*Chin., Aran.*

**Enlarged, intermittent, fever, in chronic:**

*Nat-m.*

**Enlarged, sensitive, to, touch intermittent fever:**

*Eup-per.*

**Fever, with, complaints:**

*Ars., Bapt., Chel., Hydr., Lach., Nit-ac., Ph-ac., Podo.*

**Fever, with, liver, complaints, ague after :**

*LACH.*

**Fever, with, liver, complaints, intermittent fever, functional disorders, with:**

*Hydr.*

**Fever, with, long-lasting cases of:**

*NIT-AC., Hydr.*

**Fever, with, liver, complaints, remittent fever liver action excessive in:**

*Podo.*

**Fever, with, liver, complaints typhoid, fever:**

*Bapt., Ph-ac., Stram.*

**Heaviness, as, from, a weight etc. in intermittent fever, in:**

*Carb-v.*

**Hepatitis, infection, fever, causes:**

*Sang.*

**Induration, of, liver-cake, of ague:**

*Nit-ac.*

**Jaundice, fever, during:**

*Ferr., Nux-v., Card-m., Lach., Vip.*

**Jaundice, intermittent, fever, after :**

*SEP., Ars., Chin-s., Con., Nux-v., Sang., Tub., Am-c., Ferr., Nat-c., Nat-m.*

**Jaundice, intermittent, fever, after, prevailing, during:**

*Sang.*

**Jaundice, intermittent, fever, after, quinine after abuse of:**

*Ars.*

**Jaundice, quotidian , in, gastric typhoid or bilious fever:**

*Hydr.*

**Pain, fever, during:**

*Ars., Chin., Elat., Hyos., Nux-v.*

**Pain, intermittent, fever, in:**

*Chin., Kali-c.*

**Pain, yellow, fever, fever, in:**

*Canth.*

**Sensitive, typhoid, fever, in:**

*Merc.*

**Sensitive, yellow, fever, in:**

*Canth.*

**Sharp, pain, intermittent, fever, during apyrexia of:**

*Nat-m.*

**Sharp, pain, yellow, fever, in:**

*Ars.*

**Sore, pain, bilious, fever, . in:**

*Eup-per.*

**Weak, liver, intermittent, fever, in:**

*Hydr.*



### **FEVER (SIMPLE CONTINUED FEVER) :[LUNGS] :**

**Asthma, allergic, hay, fever, with:**

ALL-C., ARS., CARC., IOD., THUJ., *Ambr., Ars-i., Bad., Carb-v., Dulc., Euphr., Ip., Kali-i., Lach., Lob., Med., Naja., Nat-s., Nux-v., Op., Sabad., Sil., Sin-n., Stict.*

**Asthma, allergic, hay, fever, with, sneezing with:**

ALL-C., *Ars., Carb-v., Dulc., Euphr., Naja., Nat-s., Nux-v., Lach., Sin-n., Stict.*

**Asthma, intermittent, fever, with:**

Mez.

**Bleeding, from, lungs, and chest puerperal fever:**

Ham.

**Breath, cold, fever, during:**

Zinc.

**Expectoration, bloody, spitting, up, puerperal fevers in:**

Ham.

**Tuberculosis, infection, fever, in:**

Bapt., Chin-ar., Ferr-p.

### **FEVER (SIMPLE CONTINUED FEVER) :[MIND] :**

**Absent-minded, yellow, fever, in:**

*Sulph.*

**Abusive, fever, during, typhoid:**

Lyc.

**Agony, fever, during:**

*Arn., Calc., Kali-c., Ars.*

**Agony, fever, during, night:**

Arn.

**Anger, fever, during:**

Hipp.

**Anxiety, evening, fever, with, hectic:**

*Ars., Phos.*

**Anxiety, fever, during:**

ACON., AMBR., ARS., BAR-C., BAR-S., IP., SEP., *Alum., Asaf., Bry., Calc., Calc-ar., Chin-s., Ferr., Guare., M-arct., Mag-c., Mur-*

*ac., Petr., Phos., Rhus-t., Ruta., Sec., Spong., Squil., Tub., Viol-t., Zinc.*

**Anxiety, fever, during, 2 a. m. to 5 a. m. with sleeplessness:**

Ign.

**Anxiety, fever, during, as, from:**

Carb-v.

**Anxiety, fever, during intermittent, during :**

*Ant-c., Ant-t., Cocc., Lyc.*

**Anxiety, fever, during, prodrome, during:**

*Ars., Chin.*

**Anxiety, fever, during, puerperal, during :**

*Plat.*

**Anxiety, fever, fever, during, yellow, during:**

*Merc.*

**Consciousness, semi-consciousness, spotted in beginning of fever:**

*Am-c.*

**Consolation, inconsolable, die, on, the spot would rather with fever:**

Spong.

**Crying, fever, during:**

ACON., BELL., PULS., SPONG., *Anac., Ant-c., Caps., Lyc., Petr., Spig., Stram., Apis., Bry., Calc., Cham., Coff., Cupr., Graph., Ign., Ip., Plat., Sulph., Til., Vac., Verat.*

**Death, conviction, of, fever, after, nosebleed amel.:**

*Psor.*

**Delirium, fever, during :**

BELL., CALC., PYROG., *Anthr., Apis., Ars., Arum-t., Bry., Camph., Canth., Cham., Chin., Chin-s., Croc-h., Dulc., Hell., Hep., Hyos., Lach., Nat-m., Ox-ac., Sabad., Sec., Sin-n., Spong.*

**delirium, talkative, loquacious, fever, in:**

Lachn.

**Depression(sadness), fever, during, the:**

ACON., ARS., NAT-M., *Ant-c., Bell., Bol., Calc., Con., Dig., Elat., Eup-per., Gels., Ip., Nat-c., Nux-m., Petr., Phos., Rhus-t., Samb., Sil., Spong.*

**Despair(felling), fever, during:**





*Acon., Ars., Carb-v., Spong., Ant-t., Bell., Calc-s., Cham., Chel., Chin-ar., Chel., Chin-ar., Con., Graph., Ign., Petr., Puls., Rhus-t., Sep., Stann., Stram., Sulph., Verat.*

**Discomfort, fever, during:**

*Ran-b.*

**Dreamy, state, drowsiness, and falling of eyelids with typhoid fever :**

*Nux-m.*

**Dullness, fever, during:**

*Arg-n., Bapt., Cham., Hyos., Ign., Puls., Bell., Bry., Caps., Carb-v., Chin-s., Merc., Nat-c., Sil., Sulph.*

**Dullness, fever, during, after :**

*Sep.*

**Ecstasy, fever, during:**

*Chin., Coff., Laur., Puls., Sabad.*

**Escape, attempts, to, fever, during:**

*Chol., Coloc., Hell., Op.*

**Excitement, fever, during:**

*Apis., Bell., Ferr., Petr., Rhus-t., Sars., Alum., Anthro., Ars-h., Cham., Chin-s., Coff., Kali-c., Lach., Mag-c., Mag-c., Mosch., Op., Stram., Sulph., Tarent., Valer., Verat.*

**Excitement, fever, fever from, excitement:**

*CAPS.*

**Excitement, fever, heat, of head, with:**

*Meph.*

**Excitement, fever, puereperal, fever, during :**

*Cham., Lach., Coff.*

**Exhaustion, fever, in:**

*Ant-t., Aspar., Chlor., Colch., Cub., Merc., Merc-c., Phos., Sec., Seneg., Sul-i.*

**Excitement, feverish, dinner, after:**

*Sep.*

**Excitement, feverish, evening:**

*Merc-c.*

**Excitement, feverish, menses, during:**

*Rhod.*

**Excitement, feverish, night:**

*Sulph.*

**Exhaustion, fever, in:**

*Anac., Bapt., nit-s-d., Rhod.*

**Fantasies, anxious, night during fever:**

*Sep.*

**Fear, fever, during:**

*Ars., Acon., Bell., Cham., Nux-m., Phos., Spong.*

**Fear, fever, during, chilly, while:**

*Calc., Sulph.*

**Fear, fever, during, cold, during a:**

*Sulph.*

**Fear, fever, during, going, to bed on:**

*Hura.*

**Fear, fever, during typhus, of:**

*Tarent.*

**Fear, people, of, in children fever, during:**

*Cupr.*

**Fever, anxiety, with:**

*ACON., ARS., Bapt., Bell., Phos., Pyrog.*

**Fever, anxiety, with, 2 to 5 a. m. with sleeplessness:**

*Ign., Kali-c.*

**Fever, anxiety, with, cold, in lungs threatening pneumonia, from:**

*Phos.*

**Fever, crying:**

*Acon., Ars., Cham., Phos., Pyrog., Vac.*

**Fever, delirium, with :**

*BELL., Stram., Bapt., Hyos., Pyrog.*

**Fever, despondency:**

*Ars., Aur., Bapt., Eup-per., Psor.*

**Fever, dullness, mental:**

*Gels., Ph-ac., Bapt., Op.*



**Fever, ecstasy, periodic:**

*Cic.*

**Fever, emotions, after :**

*CAPS., GELS., Hyos., Arg-n., Ign.*

**Fever, fretfulness, with, diarrhea:**

*Aloe., Arg-n., Ars., Chin., Gels., Mag-c., Podo., Sulph.*

**Fever, fright, after :**

*Acon., Chen-a., Ign., Op.*

**Fever, grief, and Jealousy, Worse after midnight:**

*Hyos., Ign.*

**Fever, irritable, with:**

*Bry., Cham., Chin., Coloc., Hep., Nux-v.*

**Fever, loquacity:**

*LACH., Gels., Bell.*

**Fever, malaise, with:**

*GELS., Bapt., Med., Ph-ac., Pyrog.*

**Fever, maniacal:**

*Bell., Hyos., Stram.*

**Fever, nervous, and, sensitive, even with mild :**

*Coff.*

**Fever, restlessness:**

*ACON., ARS., Bapt., Bell., Phos., Pyrog.*

**Fever, restlessness, cold, in lungs threatening pneumonia from:**

*Phos.*

**Fever, restlessness, sleeplessness, with:**

*Ars., Ign., Kali-ar., Kali-c.*

**Fever, sudden, attacks, of, continued, consequence of reverse of fortune :**

*Ign., Aur.*

**Fever, vexation, from:**

*Cham., Staph., Acon.*

**Fever, worry, and, excitement :**

*Lach., Acon., Ars., Bell., Calc.*

**Foolish, behavior, fever, during:**

*Acon.*

**Frightened, fever, during :**

*Acon., Ars., Phos., Sabad., Verat.*

**Gestures, grasping, genitals, fever, during :**

*Hyos.*

**Gloomy, fever, during :**

*Acon., Aran., Ferr., Sulph., Asar., Bor., Cic., Ip., Lyc., M-aust., Mosch., Petr.*

**Gloomy, fever, after :**

*Am-c., Carb-b., Hipp.*

**Grief, ailments, from, fever, childbed, in:**

*Coloc.*

**Grief, ailments, from, fever, typhoid, in:**

*Ph-ac., Cham.*

**Hopeless, feelings, fever, intermittent:**

*Ant-t.*

**Hopeless, feelings, fever, intermittent, especially after typhus, better from nosebleed:**

*Psor.*

**Hypochondriasis, fever, during :**

*Nux-m.*

**Impatience, intermittent, fever:**

*Chin-ar.*

**Indecision, yellow, fever, in:**

*Sulph.*

**Indifference, fever, during:**

*CON., GELS., Apis., Arn., Chin-s., Nit-s-d., Puls., Sep., Ail., Aran., Bapt., Chin., Ferr-p., Phos.*

**Insanity, alcoholics, in, fever, inflammatory:**

*Tub.*

**Irritability, fever, during:**

*NAT-C., Ars., Bry., Cham., Ferr., Nat-m., Nux-v., Psor., Rheum., Sulph.*

**Irritability, fever, after:**

*Cina., Am-c., Hipp.*



**Jumping, bed, out, of, fever, during:**

*Hyos., Chin-ar., Morph.*

**Lamenting, fever, during:**

*Puls., Til.*

**Mania, fever, during:**

*Cact.*

**Memory, active, during:**

*Op.*

**Moaning, fever, during:**

*PULS., Arn., Mur-ac., Acon., Bell., Cham., Chin-ar., Coff., Eup-per., Ign., Lach., Nux-v., Podo., Thuj., Verat.*

**Moods, changeable, variable, fever, during:**

*Nux-m.*

**Obstinate, fever, during:**

*Acon.*

**Quiet, disposition, fever, during:**

*Bry., Gels.*

**Restlessness, alternating, with, indifference, sleepiness and stupor, during fever:**

*Ars.*

**Restlessness, fever, during:**

*ARS., BAPT., PULS., RHUS-T., Acon., Apis., Arn., Bar-c., Bell., Carb-v., Cham., Chin-s., Eup-per., Ferr., Ferr-ar., Gels., Ip., Lyc., M-arct., Mur-ac., Op., Sulph.*

**Restlessness, fever, after:**

*Ph-ac., Puls., Sep.*

**Restlessness, feverish:**

*Ars., Anac., Cimic., Phos., Pyrog., Ran-b., Ruta.*

**Restlessness, pregnancy, during, feverish, and during last month:**

*Colch.*

**Rudeness, fever, during:**

*Lyc.*

**Screaming, fever, during:**

*Bell., Lyc., Stram.*

**Sensitive, fever, during:**

*PULS., Bell., Carb-v., Lyc., Nat-m., Nit-ac., Teucr., Valer.*

**Sighing, emotional, fever, during:**

*Arn., Cham., Coff., Ign., Acon., Ars., Bell., Bry., Carb-v., Coff., Ip., Nux-v., Puls., Rhus-t., Sep., Thuj.*

**Sighing, emotional, fever, during, head, of:**

*Clem.*

**Singing, fever, during:**

*Op., Bell., Stram., Verat.*

**Speech, delirious, fever, during:**

*Coff., Til.*

**Speech, faster, than, ever before especially during fever :**

*Lach., Pyrog.*

**Talk, indisposed, to, fever, during:**

*Gels., Nux-m., Ph-ac., Puls., Tarent., Ars., Bor., Cham., Nux-v.*

**Talking, excessive, loquacity, fever, during:**

*TEUCR., Gels., Lach., Podo., Coff., Lachn., M-arct., Stram.*

**Thinking, faster, than., ever, before especially during fever :**

*Lach., Pyrog.*

**Thoughts, rapid, quick, fever, during:**

*Cham.*

**Whining, scrofulosis, in, typhoid fever:**

*Verat.*

**Whistling, fever, during:**

*Caps.*

**Worries, full, of, fever, causes a, and prostration after childbearing:**

*Lach.*

**Worries, full, of, fever, causes a, and prostration after childbearing typhoid:**

*Calc.*

**FEVER(SIMPLE CONTINUED FEVER) :[MOUTH]:**



**Bleeding, scarlet, fever, in:**

ARUM-T.

**Breath, hot, fever, during:**

Zinc.

**Dryness, fever, during:**

Zinc.

**Fever, blisters, lips:**

APIS., NAT-M., RHUS-T., Ars., Brom., Calc-f., Canth., Croto-t.,  
Graph., Hyos., Lac-c., Med., Petr., Phos., Sep., Urt-u.

**Salivation, fever, during:**

Dros., Nit-ac., Stram., Sulph., Hell., Hep.

**Speech, wanting, fevers, like, in typhus:**

Stram., Apis., Ars., Op.

**Spongy, gums, sticky, viscid, feverish feeling:**

Gels.

#### **FEVER (SIMPLE CONTINUED FEVER) :[MUSCLES] :**

**Aching, pain, fever, during:**

GELS., Pyrog., Rhus-t., Tub., Arn., Eup-per., Puls.

**Heaviness, sensation, tired, fever, during:**

CALC., GELS., NUX-V., RHUS-T., Pyrog., Sulph.

**Lax, muscles, intermittent, fever, in:**

Ars.

**Twitching, muscles, fever, during:**

All-s.

#### **FEVER (SIMPLE CONTINUED FEVER) :[NECK] :**

**Torticollis, neck, diphtheria, and, scarlet fever, in:**

LACHN.

#### **FEVER (SIMPLE CONTINUED FEVER) :[NEVES] :**

**Convulsion, fever, during, the :**

BELL., NUX-V., STRAM., Caust., Cic., Cina., Ferr-p., Hyos., Nat-m.

**Fainting, faintness, fever, during:**

SEP., Acon., Arn., Eup-per., Ign., Nat-m., Phos., Puls., Ars., Bell.,  
Nux-v.

**Fainting, faintness, fever, during, after :**

Sal-ac.

**Fainting, faintness, fever, during, before:**

Ars.

**Fainting, faintness, fever, during, childbirth, during:**

Coloc., Cimic.

**Fainting, faintness, fever, during, intermittent, during:**

Phos.

**Paralysis, intermittent, fever, after :**

NAT., Ars., Lach., Nux-v., Arn.

**Paralysis, paraplegia, fever, after:**

Rhus-t.

**Trembling, general, externally, fever, during:**

Gels., Ars., Calc., Camph., Cist., Eup-per., Kali-c., Lach., Mag-c.,  
Merc., Mygal., Sep.

#### **FEVER (SIMPLE CONTINUED FEVER) [NOSE] :**

**Coryza, fever, with:**

BRY., MERC., Acon., Ars., Bell., Hep., Seneg., Tarent., All-c., Anac.,  
Bar-m., Chlor., Gels., Graph., Iod., Jab., Lach., Nat-c., Nit-ac., Sep.,  
Spig.

**Hay, fever:**

ALL-C., AMBRO., ARS., ARS-I., ARUND., MED., NAT-M., NAT-S.,  
Aral., Arum-t., Brom., Carb-v., Cocain., Con., Dulc., Euphr., Gels.,  
Just., Kali-i., Kali-p., Naja.

**Hay, fever:**

PSOR., ABAD., SIN-N., TUB., Puls., Ran-b., Sang., Sil., Stict., Wye.

**Hay, fever, annual, prophylactic:**

Psor., Ars., Kali-p.

**Hay, fever, asthmatic, breathing, with:**

ALL-C., ARS., IOD., Ars-i., Bad., Carb-v., Dulc., Euphr., Naja., Nat-  
s., Nux-v., Sabad., Sin-n.

**Hay, fever, august, in:**



ALL-C., Dulc., Gels., Naja.

**Hay, fever, august, in, until the fall:**

Sin-n.

**Hay, fever, autumn, in:**

Wye.

**Hay, fever, chronic, coryza,:**

BROM., Apis., Ars., Canth., Colch., Cycl., Lyc., Psor., Sang., Sil., Sulph., Tub., Teucr.

**Hay, fever, dryness, of, mucus membranes of nose mouth and throat with :**

Wye.

**Hay, fever, grass, newly, mown:**

Dulc.

**Hay, fever, spring, in:**

All-c., Ars., Gels., Sabad., Lach., Naja., Sang., Tub.

**Heat, in, fever, in:**

Arn.

**Nosebleeds, epistaxis, fever, during:**

Ferr-p., Bry., Carb-v., Ham., Meli., Phos.

**Nosebleeds, epistaxis, typhoid, fever, during:**

ARN., BAPT., CROT-H., LACH., Bry., Chin-s., Ph-ac., Rhus-t., Ter.

### **FEVER (SIMPLE CONTINUED FEVER) : [PERSPIRATION] :**

**Afternoon, fever, during:**

Ferr., Gamb., Nit-ac.

**Fever, after, the:**

ARS., Bell., Calad., Chin., Chin-ar., Chin-s., Cupr., Ferr., Gels., Hep., Lach., Lyc., Nat-s., Nux-v., Phos., Puls., Rhus-t., Zinc.

**Night, at, fever, during:**

Carb-v., Hydrog., Stront-c., Sulph.

**Profuse, evening, high, fever, with:**

Con.

### **FEVER (SIMPLE CONTINUED FEVER) : [PREGNANCY] :**

**Childbirth, general, fever, after:**

CARBN-S., ECHI., LACH., LYC., PULS., PYROG., RHUS-R., RHUS-T., SULPH.

**Childbirth, general, fever, after, lochia, from suppressed :**

SULPH., Lyc., Mill., Puls.

**Childbirth, general, heat, feverish:**

Caul.

**Confinement, puerperal, fever, during:**

ARS., BELL., BRY., VERAT., Acon., Arn., Calc., Canth., Carb-ac. Colch., Hyos., Kali-c., Lach., Mur-ac., Puls., Rhus-t., Sec.

**Confinement, puerperal, fever, during, abdomen distended :**

BRY.

**Confinement, puerperal, fever, during, abdomen distended abdomen stitches in:**

BRY.

**Confinement, puerperal, fever, during, albuminuria, torpidity, coma, blue, bloated face, septic or zym:**

Crot-h.

**Confinement, puerperal, fever, during, breasts, distended :**

BRY.

**Confinement, puerperal, fever, during, breasts, distended sore :**

Cham.

**Confinement, fever, during, cerebral congestion:**

Verat-v.

**Confinement, puerperal, fever, during, day fourth severe chill followed by fever:**

Phyt.

**Confinement, puerperal, fever, during, delirium:**

Verat-v.

**Confinement, puerperal, fever, during, emotion, particularly after violent, or suppression of milk:**

Bell.

**Confinement, puerperal, fever, during, excitement:**

Cham.

**Confinement, puerperal, fever, during, fetid discharge :**



*Op.*  
:Confinement, puerperal, fever, during, fright, especially when caused by:  
*Op.*  
Confinement, puerperal, fever, during, high, fever:  
*Verat-v.*  
Confinement, puerperal, fever, during indignation, brought on by, or grief because of unkind treatment :  
*Coloc.*  
Confinement, puerperal, fever, during , inhalations, deep, painful:  
BRY.  
Confinement, puerperal, fever, during, intermittent on fifth day :  
*Lach.*  
Confinement, puerperal, fever, during, lie, cannot, on either side :  
BRY.  
Confinement, puerperal, fever, during, lochia, sudden suppression of :  
*Verat-v.*  
Confinement, puerperal, fever, during, malignant:  
Ail.  
Confinement, puerperal, fever, during, milk, absence of:  
*Cham.*  
Confinement, puerperal, fever, during, milk, absence of sudden cessation of :  
*Verat-v.*  
Confinement, puerperal, fever, during, notions, with absurd, or mania :  
Kali-p.  
Confinement, puerperal, fever, during, ovaritis, with:  
Crot-h.

Confinement, puerperal, fever, during, overexcitement of senses:  
*Op.*  
Confinement, puerperal, fever, during, pain, excessive:  
*Verat-v.*  
Confinement, puerperal, fever, during, pulse bounding hard:  
*Verat-v.*  
Confinement, puerperal, fever, during, pulse bounding hard quick :  
*Verat-v.*  
Confinement, puerperal, fever, during, pulse bounding hard weak:  
*Verat-v.*  
Confinement, puerperal, fever, during, putridity, with:  
*Kreos.*  
Confinement, puerperal, fever, during pyemia :  
*Arn.*  
Confinement, puerperal, fever, during, restlessness, with great:  
*Cham., Verat-v.*  
Confinement, puerperal, fever, burning, septicemia, ovaritis:  
Crot-h.  
Confinement, puerperal, fever, during, septicemia, ovaritis sings of dissolution of blood :  
ARS., LACH.  
Confinement, puerperal, fever, during, skin cold and clammy :  
*Verat-v.*  
Confinement, puerperal, fever, during, stage, first :  
*Kali-m.*  
Confinement, puerperal, fever, during, stage, first second :  
Kali-p.  
Confinement, puerperal, fever, during, tenesmus, with:  
*Verat-v.*



Confinement, puerperal, fever, during, thirst, with for large quantities of water:

BRY.

Confinement, puerperal, fever, during, tympanitis, with:

*Verat-v.*

Confinement, puerperal, fever, during, typhoid symptoms:

*Bapt.*

Confinement, puerperal, fever during vagina moist :

*Kreos.*

Confinement, puerperal, fever, during weeks, after six, followed by vulvitis with herpes vesicles:

*Nat-s.*

Fever, pains:

*Puls.*

Fever, pains, yellow:

*Cadm-s.*

Fever, pains, yellow:

*Cham-s., Plat.*

Lochia, dark, fever, in, puerperal:

*Kreos.*

Lochia, fetid, fever, in, septic :

*Sal-ac.*

Lochia, profuse, fever, in, puerperal:

*Cham.*

Lochia, suppressed, fever, with:

*Acon., Mill., Sec.*

Lochia, suppressed, suddenly, in, puerperal fever :

*Cimic., Verat-v.*

Miscarriage, fever, from, low:

*Bapt.*

Miscarriage, fever, from, low:

*Bapt.*

Miscarriage, mental, shock, depression, and low fever, from:

*Bapt.*

Postpartum, breasts, left, inflamed and hard with fever and prostration:

*Crot-h.*

Postpartum, breasts, left, inflamed and hard with fever and prostration stitching in a hard lump with :

*Crot-h.*

Postpartum, vaginal, discharge, lesions, . with septic fever :

*Calen., Sul-ac.*

### **FEVER (SIMPLE CONTINUED FEVER) :[PULSE] :**

Absent, spotted, fever, in, beginning of:

*Am-c.*

Discordant, with, fever:

*PYROG., Lil-t., Thyr.*

Fast, pulse, fever, during:

*Sec., Chin-s., Meny., Ruta.*

Fast, pulse, fever, during, without:

*Camph.*

Fast, pulse, intermittent, fever, . in:

*Ars., Dig., Nat-m.*

Fast, pulse, feels, pulse, in body through whole, strong fever, during:

*Cocc.*

Feverish, pulse:

*PYROG., Acon., Ars., Bell., Stram., Sulph., Alum., Alumn., Anthro., Bov., Croc., Gins., Lac-ac., Merc-c., Mez., Morph., Plb., Sars., Sec., Thuj., Vip.*

Feverish, pulse, aphthae, in:

*Hell.*

Feverish, pulse, caries, in, of tarsal and metatarsal bones:

*Merc.*

Feverish, pulse, coxarius, in, morbus:

*Kali-c.*

Feverish, pulse, synanche, cellularis, in:

*Anthr.*



**Feverish, pulse, gonorrhea, in:**

*Merc.*

**Full, fever, during:**

*Coloc., Chin-s., Vinc.*

**Full, pulse, fever, during, and violent thirst , with, followed by general sweat, mostly on forehead :**

*Ran-b.*

**Full, pulse, fever, during, bilious remittent:**

*Crot-h.*

**Full, pulse, fever, during, childbed:**

*Coloc.*

**Full, pulse, fever, during, intermittent fever :**

*Cedr., Cinch., Bar-m., Chin-a.*

**Full, pulse, round, in, phthisis pulmonalis soft-flowing, with slight fever :**

*Gels.*

**Full, pulse, scarlet, fever, after :**

*Hep.*

**Full, pulse, soft, fever , at night with:**

*Raph.*

**Full, pulse, fever, in childbed :**

*Coloc.*

**Hard, pulse, fever, in, childbed gastric in:**

*Puls.*

**Hard, pulse, fever, in, childbed puerperal in:**

*Puls.*

**Hard, pulse, incompressible, scarlet, fever in:**

*Sulph.*

**Hard, pulse, quick, with, every fever :**

*Calc.*

**Hard, pulse, quick, with, every, fever without being frequent:**

*Cact.*

**Intermittent, pulse, beats, yellow, fever, in:**

*Merc.*

**Intermittent, pulse, beats, third beat every, in typhoid fever:**

**MUR-AC.**

**Irregular, pulse, scarlet, fever, after and in ascites :**

*Apoc.*

**Irregular, pulse, yellow, fever, in:**

*LACH., Merc.*

**Low, pulse, after :**

*ANT-T.*

**Low, pulse, scarlet, fever, in:**

*Sulph.*

**Low, pulse, spasm, in, following pneumonia and typhoid fever :**

*Nux-v.*

**Quick, pulse, feeble, and, during fever, at night :**

*Chin-b.*

**Quick, pulse, feeble, and, . during fever at night vomiting during pregnancy:**

*Cupr-ar.*

**Quick, pulse, fever, in, childbed:**

*Coloc.*

**Quick, pulse, intermittent, fever, in:**

*Cedr.*

**Quick, pulse, yellow, fever, in:**

*Merc.*

**Slow, pulse, diarrhea, in, typhous intermittent fever, in:**

*Dig.*

**Slow, pulse, dropsy, general, anasarca, in, 60 intermittent fever, in:**

*Dig.*

**Slow, pulse, fever, during:**

*Alum., Lil-t., Karw-h., Pyrog.*

**Slow, pulse, fever, during, after :**

*ANT-T.*

**Slow, pulse, fever, during, apyrexia, in:**

*Cinch.*

**Slow, pulse, fever, during, bilious fever, in, 50 :**





*Crot-h.*  
**Slow, pulse, fever, during, typhus, in:**  
*Arn., Stram.*  
**Slow, pulse, intermittent, fever, in:**  
*Acon., Gels.*  
**Slow, pulse, intermittent, fever, in less than 50:**  
*Nat-m.*  
**Slow, pulse, intermittent, fever, in or stroke:**  
*Chin-s.*  
**Small, pulse, in, intermittent:**  
*Ars., Cocc.*  
**Small, pulse, fever, in, intermittent in puerperal:**  
*Puls.*  
**Small, typhoid, fever, in:**  
*Lach., Ter., Zinc.*  
**Small, pulse, weak, sudden rise of temperature during scarlet fever :**  
*Lyc.*  
**Soft, pulse, fever, in, intermittent:**  
*Ars.*  
**Soft, pulse, trembling, in, yellow fever:**  
*Merc.*  
**Soft, pulse, yellow, fever, in:**  
*Merc.*  
**Strong, pulse, fever, typhus, in:**  
*Apis.*  
**Strong, pulse, intermittent, in, yellow fever :**  
*Merc.*  
**Thready, pulse, intermittent, fever, in:**  
*Cinch.*  
**Thready, pulse, intermittent, fever, in tertian, in:**  
*Lach.*  
**Thready, pulse, scarlet, fever, in:**  
*Zinc.*  
**Thready, pulse, scarlet, fever, in after :**

**ACON.**  
**Tremulous, pulse, typhoid, fever, in:**  
*CALC., Crot-h.*  
**Tremulous, pulse, yellow, fever, in:**  
*Merc.*  
**Variable, pulse, typhoid, fever, great and sudden changes in:**  
*Verat-v.*  
**Weak, pulse, fever, during, afternoon:**  
*Chin-b.*  
**Weak, pulse, fever, during, bilious:**  
*Crot-h.*  
**Weak, pulse, fever, during, intermittent:**  
*Polyp-p., Puls.*  
**Weak, pulse, fever, during, nervous, sinking:**  
*Camph.*  
**Weak, pulse, fever, during, intermittent, in, small scarcely perceptible during apyrexia :**  
*Ferr.*  
**Weak, pulse, fever, during typho-malaria, in, from twentieth day:**  
*Ham.*  
**Weak, pulse, fever, during , typhoid, in:**  
*Zinc., Nux-v.*  
**Weak, pulse, fever, during typhoid in rapidly sinking :**  
*Anthr.*  
**Weak, pulse, fever, during typhus in:**  
*Apis., Bapt., Crot-h.*  
**Weak, pulse, regular, dropsy, and hectic fever in:**  
*Eup-pur.*  
**Weak, pulse, scarlet, fever, after :**  
*Apoc.*

**FEVER (SIMPLE CONTINUED FEVER) :[RECTUM]:**

**Diarrhea, general fever, with:**  
*Aesc., Ars., Chin., Nux-m., Phos., Puls.*



**Diarrhea, general, fever, with, after :**

Phos.

**Diarrhea, general, fever with, hectic, during :**

Aesc.

**Diarrhea, general, fever, with, hectic, during after :**

Phos.

**Diarrhea, general, fever with, intermittent, during :**

CINA., *Rhus-t.*, Ant-c., Ars., Chin-ar., Cocc., Con., Gels., Puls.,  
Thuj.

**Diarrhea, general, fever, with puerperal:**

*Pyrog.*, Carb-ac., Sulph.

**Diarrhea, general, fever, with, pernicious :**

Camph., Cupr., Pyrog,

**Diarrhea, general, typhoid, fever, . from :**

*Ars.*, *Bapt.*, *Hyos.*, *Mur-ac.*, Echi., Eucal., Lach., Nuph., Op., Ph-ac.,  
Podo., Stram.

### **FEVER (SIMPLE CONTINUED FEVER) :[SKIN] :**

**Burning, sensation, fever, without :**

Graph., Lach.

**Coldness, fever, during:**

*Camph.*, *Iod.*

**Heat, sensation, without fever:**

*Graph.*, *Lach.*, Aloe., Arn., Ars., Bell., Bor., Bry., Chin., Cocc., Dulc.,  
Hep., Hyos., Iod., Kali-bi., Lyc., Mag-c., Mur-ac., Nit-ac., Nux-v.,  
Phos., Puls., *Rhus-t.*, Sang., Sep., Sil., Sulph.

**Heat, sensation, without, fever, convulsions, before:**

Bell.

**Heat, sensation, without, fever, exercising, while:**

Calc., Nat-m.

**Heat, sensation, without, fever, feverish tingling over whole  
body:**

Cub.

**Heat, sensation, without fever, night:**

GRAPH., Fl-ac., Nat-m.

**Heat, sensation, without, fever, night:**

Spong., Sulph.

**Heat, sensation, without, fever, sex, after :**

*Graph.*

**Heat, sensation, without , fever, under skin:**

Ter.

**Heat, sensation, without, fever, waking, on:**

Fl-ac., Nat-m., Puls., Sil.

**Itching, fever, during:**

Kali-br.

**Rash, skin, receding, in, eruptive fevers:**

BRY.

**Rash, skin, slow, evolution, of rash in eruptive fevers:**

BRY.

**Trichophytosis, intersecting, rings over great portion of  
body, with fever and great chronic disturba:**

Tell.

**Ulcer, general, scarlet, fever, from:**

Cham.

**Urticaria, hives, fever during:**

APIS., IGN., RHUS-T., *Cop.*, *Rhus-v.*, *Sulph.*, Chlor., Cub.

**Urticaria, hives, fever, during, suppressed, from:**

Elat.

**Urticaria, hives, itching burning after scratching, no fever,  
with:**

Dulc.

**Urticaria, hives, hives, itching burning, after scratching, no  
fever with without itching:**

Uva.

**Yellow, skin, during :**

*Ferr.*, *Nux-v.*, Card-m., Lach., Vip.

**Yellow, skin, intermittent, fever, after :**

SEP., *Ars.*, *Chin-s.*, Con., *Nux-v.*, *Sang.*, *Tub.*, Am-c., Ferr., Nat-c.,  
Nat-m.



### **FEVER (SIMPLE CONTINUED FEVER) :[SLEEP] :**

**Deep, sleep, fever, during:**

APIS., OP., ROB., *All-c., Arn., Calad., Lach., Mez., Nux-m., Nux-v., Phos.*

**Falling, asleep, fever, during:**

CALAD., EUP-PER., LACH., MEZ., NAT-M., OP., PODO., ROB., SAMB.

**Falling, asleep, fever, during flushes of heat, with:**

*Carb-v.*

**Falling, asleep, fever, during, heat chill between:**

NUX-V.

**Fever, intermittent, during:**

ANT-T., EUP-PER., LACH., MEZ., NAT-C., NAT-M., OP., PODO., ROB., SAMB.

**Fever, intermittent, during, between head and chill :**

NUX-V., *Rhus-t.*

**Fever, intermittent during, children, and elderly people, in:**

*Op.*

**Fever, intermittent, during, stupefying, sleep:**

ANT-T., APIS., BAPT., *Bell., Camph., Nux-m., Ph-ac., Phos., Spong., Stram., Verat.*

**Insomnia, fever, during:**

ANAC., APIS., BELL., BOR., RHOD., SULPH., *Aran., Ars., Ars-h., Bapt., Bar-c., Bry., Cact., Calc., Carb-v., Caust., Cham., Cina., Coff., Coloc., Ferr., Hyos., Lachn., Mag-c., Nit-ac., Nux-v., Ol-j., Op., Petr., Ph-ac., Phos., Rhus-t., Sabin., Sil., Staph., Stram.*

**Insomnia, fever, after :**

*Hell.*

**Insomnia, fever, anxious:**

*Puls., Bry., Ign.*

**Insomnia, fever, dry:**

*Caust., Nit-ac., Wies.*

**Insomnia, fever, low, from:**

*Cact., Stram.*

**Sleepiness, fever, during:**

ANT-T., ARN., CALAD., EUP-PER., LACH., MEZ., NAT-M., OP., PLB., PODO., ROB., SAMB.

**Sleepiness, fever, before :**

*Puls., Rhus-t.*

**Sleepiness, fever, paroxysms, after :**

*Podo.*

**Sleepiness, fever, septic:**

*Stram.*

**Snoring, respiration, fever, during:**

*OP., Apis., Con., Ign., Laur.*

**Unrefreshing, fever, in:**

*Ars., Dig., Ip., Phos.*

**Yawning, fever, during:**

NIT-A., *Ars., Ign., Op., Puls., Rhus-t., Aesc., Arn., Bry., Calc., Calc-p., Chin-s., Cina., Croc., Kali-c., Kreos., Nux-v., Plat., Ruta., Sabad., Sep., Thuj.*

**Yawning, fever, before:**

*Elat., Ip., Nux-v., Rhus-t., Aur.*

**Yawning, spasmodic, fever, during :**

*Ars., Nux-v., Rhus-t.*

### **FEVER (SIMPLE CONTINUED FEVER) :[STOMACH]:**

**Belching, general, acrid, fever, during:**

*Cub.*

**Belching, general, fever, during:**

*Ant-c., Cub., Lach., Ran-b.*

**Belching, general, fever, during:**

*Cub., Lach., Ran-b.*

**Burning, pain, fever, during:**

*Ars., Lach., Nux-v., Spe.*

**Cramping, pain, fever, during:**

*Cocc., Carb-v., Nux-v., Puls.*

**Cutting, pain, intermittent, fever:**

*Aran.*

**Emptiness, weak, hungry, feeling, fever, during:**



Zinc.

**Emptiness, weak, hungry, feeling, fever during:**

Zinc.

**Heat, and, flushes, in, pit, of during fever :**

Cub.

**Hiccoughs, general, fever, after :**

Ars., Lach.

**Hiccoughs, general, fever, after, at the hour when the fever ought to come :**

ARS.

**Hiccoughs, general, fever, after during fever:**

Mag-p., Crot-h.

**Hiccoughs, general, fever, after typhoid, in:**

Phos.

**Hiccoughs, general, fever, after, yellow, during:**

Ars-h.

**Hiccoughs, general, vomiting, while fever, after :**

Lach.

**Indigestion, general, fevers, after, acute:**

Chin., Quas.

**Nausea, general, fever, during:**

ARS., IP., NAT-M., Bry., Carb-v., Cimx., Eup-per., Guare., Nux-v., Sang.

**Nausea, general, fever, during, after :**

ARS., Fl-ac., Dros.

**Nausea, general, fever, during, close, at:**

Eup-per.

**Pain, stomach, fever, during:**

ARS., BRY., NUX-V., Cham., Cocc., Eup-per., Nat-m., Sep., Bell., Carb-v.

**Pain, stomach, fever, during, amel.:**

ARS., Cham., Chel., Lyc., Nux-v., Sil., Bry., Carb-an., Caust., Mag-p.

**Trembling, fever, during:**

IOD., Caps., Ign., Lyc.

**Vomiting, general, bile, of, fever, during the:**

EUP-PER., Ars., Cham., Cina., Nat-m., Nux-v., Puls., Bry., Chin., Crot-h., Cupr., Dros., Ign., Ip., Iris., Merc., Op., Phos., Psor., Sec., Sulph., Thuj., Verat.

**Vomiting, general, bitter, of, fever, during:**

Eup-per., Thuj.

**Vomiting, general, fever, during:**

ANT-T., Ant-c., Ars., Bry., Cham., Cina., Cocc., Elat., Ip., Lyc., Stram., Verat.

**Vomiting, general, fever, during, after:**

Eup-per., Calc.

**Vomiting, general, food, fever, during:**

Eup-per., Cina., Ferr., Ign., Nux-v., Thuj.

**Vomiting, general, forcible, sudden, fever, with:**

Bapt.

**Vomiting, general, mucus, fever, during:**

Thuj.

**Vomiting, general, scarlet, fever:**

Bell., Ail.

**Vomiting, general, sour, fever, during:**

LYC., Hep., Rob.

**Vomiting, general, water, fever, during:**

Hep.

**Weak, feeling, fever, during:**

Zinc.

### **FEVER (SIMPLE CONTINUED FEVER) :[THROAT] :**

**Dryness, throat, fever, during:**

Asar., Nit-ac., Olnd., Op., Sep., Sulph.

**Pain, throat, fever, during:**

Phos., Ph-ac., Sep.

**Ulcers, scarlet, fever, does, not come out, when:**

Apis.

### **FEVER (SIMPLE CONTINUED FEVER) :[TONGUE] :**

**Taste, purulent, intermittent, fever, in:**



ARN., Ars., Puls.

**FEVER (SIMPLE CONTINUED FEVER) :[TOXICITY] :**

**Alcohol, beer, agg, desires, fever, after:**

Puls.

**Alcohol, beer, agg, desires, fever during :**

Acon., Nux-v., Puls.

**Vaccinations, fever, with, backache, headache:**

SIL.

**FEVER (SIMPLE CONTINUED FEVER) :[URINE] :**

**Albuminous, proteinuria, scarlet, fever, after :**

APIS., LYC., NAT-S., Ars., Aur-m., Canth., Colch., Con., Glon., Hell., Hep., Kali-chl., Kali-s., Lach., Merc-c., Phos., Sec., Stram., Ter.

**Brown, fever, during:**

SEP., VERAT., Acon., Bell., Nux-v., Arn., Bry., Carb-v., Ip., Lyc., Puls., Rhus-t.

**Cloudy, fever, with:**

Phos., Ars., Bell., Berb., Bry., Lyc., Ph-ac., Puls., Rhus-t., Sabad., Sars., Sep.

**Cloudy, fever, with:**

Phos., Ars., Bell., Berb., Bry., Lyc., Ph-ac., Puls., Rhus-t., Sabad., Sars., Sep.

**Copious, fever, during:**

STRAM., Aur-m-n., Cham., Colch., Eup-pur., Lyc., Mur-ac., Phos., Ant-c., Arg-m., Ars., Cedr., Dulc., Med., Ph-ac.

**Odor, acrid, pungent, fever, during:**

Lyc., Merc., Ph-ac., Arg-m. Kreos., Rhus-t., Squil., Staph., Sulph.

**Odor, putrid, fever, during:**

Ph-ac.

**Pale, fever, during:**

Cedr., Cham.

**Red, fever, with:**

Nux-v.

**Scanty, fever, during:**

Apis., Arn., Ars., Bell., Cact., Cann-s., Canth., Cocc., Colch., Crot-h., Eup-pur., Hyos., Lyc., Nat-m., Nit-ac., Nux-v., Plb., Sec., Staph., Stram.

**Sediment, urinary, sand, urinary, red fever during:**

Lyc., Phos.

**Sediments, urinary, white, fever, during:**

Phos., Sep.

**FEVER (SIMPLE CONTINUED FEVER) :[VERTIGO] :**

**Fall, tendency, to, fever, during:**

Sep.

**Fever, during, the:**

Carb-an., Cocc., Gels., Kali-c., Puls., Acon., Arg-m., Bell., Bry., Carb-v., Chin., Croc., Ign., Laur., Led., Mag-m., Merc., Mosch., Nux-v., Phos., Sep., Stram., Verat., Urt-u.

**FEVER (SIMPLE CONTINUED FEVER) :A[VISION] :**

**Amaurosis, fever, from, nervous:**

Bell.

**Amaurosis, typhoid, fever, after :**

Lyc.

**Amaurosis, typhoid, fever, after :**

Lyc.

**Black, nings, fever, during:**

Dig.

**Blindness, scarlet, fever, after:**

Bell., Hep.

**Blindness, sudden, scarlet, fever, after:**

Aur-m.

**Blindness, typhus, fever, in:**

Stram.

**Circles, fever, during:**

Dig.

**Dim, fever, during:**



Bell., Sabin.

**Dim, fever, during, fever, from:**

Bell., Gels.

**Dim, typhoid, fever, from:**

Phos.

**Double, vision, yellow, fever, in:**

Gels.

**Foggy, vision, fever, with:**

Sep.

**Indistinct, vision, yellow, fever, in:**

Gels.

**Varies, from, day, to, day, or from hour to hour, sometimes  
fever with thirstlessness:**

Gels.

**Veil, as, if looking, through a scarlet fever after :**

Hep.

**Weak, vision, catarrhal, fever, in:**

Kali-c.

**Weak, vision, typhus, fever, in:**

Lach.

**FEVER (SIMPLE CONTINUED FEVER) :[WRISTS] :**

**Coldness, puerperal, fever:**

Puls.

